

Schema	Table	Description
dbo	AccessRequest	Table that contains Access Requests and the status of those requests
dbo	AcqAssignmentType	Lookup table for types of acquisition assignments
dbo	AcqRequest	Table that holds records of acquisition requests from the ITARS system
dbo	AcqRequestAcquisitionOffice	Lookup table that contains Acquisition Request Offices
dbo	AcqRequestAdminUpload	Table that holds Uploaded documents by Admins related to Acquisition Requests
dbo	AcqRequestArea	Lookup table that contains Acquisition Request Areas
dbo	AcqRequestAreaCompare	Lookup table that contains Acquisition Request Area Compare Information
dbo	AcqRequestAssignment	Table that contains which users are assigned to Acquisition Requests
dbo	AcqRequestAssignmentHistory	Table that logs when assignment of users to Acquisition Requests are updated
dbo	AcqRequestComments	Table that contains comments from users regarding acquisition requests
dbo	AcqRequestCommentType	Lookup table that contains AcqRequest Comment Types.
dbo	AcqRequestCompetitiveProcedure	Lookup table that contains descriptions of acquisition request competitive procedures
dbo	AcqRequestContractingStatus	Lookup table that contains Acquisition Request Contracting Statuses
dbo	AcqRequestError	Table that contains a log of errors thrown regarding acquisition requests
dbo	AcqRequestHistory	Table that contains records of changes to the AcqRequest Table
dbo	AcqRequestIDIQSubType	Lookup table that contains information about Acquisition Request IDIQ Subtypes
dbo	AcqRequestJobStatus	Lookup table that contains Acquisition Request Job Statuses
dbo	AcqRequestListColumns	Lookup table that contains information regarding columns in the Acquisition Request List
dbo	AcqRequestModificationActionType	Lookup table that contains information regarding modification action types for Acquisition Requests
dbo	AcqRequestPackageQuality	Lookup table that contains Acquisition Request Package Qualities
dbo	AcqRequestPriority	Lookup table that contains Acquisition Request Priorities
dbo	AcqRequestProcurementSubType1	Lookup table that contains information about procurement sub types
dbo	AcqRequestProcurementSubType2	Lookup table that contains information about procurement sub types for sub type 2
dbo	AcqRequestProcurementSubType3	Lookup table that contains information about procurement sub types for subtype3
dbo	AcqRequestProgram	Lookup table that contains Acquisition Request Programs
dbo	AcqRequestProgramOffice	Lookup table for descriptions of acquisition request program offices
dbo	AcqRequestPWSStatus	Lookup table that contains information regarding statuses of Acquisition Request performance work statements
dbo	AcqRequestQuality	Lookup table that contains Acquisition Request Qualities
dbo	AcqRequestRequiringActivity	Lookup table that contains information regarding Acquisition Requests Requiring Activity
dbo	AcqRequestSpecialMgtCode	Lookup table for descriptions of acquisition request special management codes
dbo	AcqRequestStatus	Table that contains statuses of Acquisition Requests
dbo	AcqRequestTypeOfProcurement	Lookup table that contains information about acquisition request

		procurement types
dbo	AcqRequestTypeOfWork	Lookup table for descriptions of acquisition request types of work
dbo	AcqRequestUpload	Table that contains binary images of uploaded documents in support of an Acquisition Request
dbo	AcqRequestUserList	Table that contains information regarding the user list for acquisition requests
dbo	AcqRequestVAInitiatives	Lookup table for information regarding acquisition request VA Initiatives
dbo	AcqRequestVAInitiativesEndDate	Table that contains information regarding End Dates of Acquisition Request VA Initiatives
dbo	ACT	Table that contains Acquisition Tracker information
dbo	ACTClassificationCode	Lookup table that contains Acquisition Tracker Classification Codes
dbo	ACTContractVehicle	Lookup table that contains Acquisition Tracker Contract Vehicles
dbo	ACTHistory	Table that contains the history of all Acquisition Tracker records
dbo	ACTNAICS	Lookup table that contains Acquisition Tracker NAICS Code information
dbo	ACTProcurementMethod	Lookup table that contains Acquisition Tracker Procurement Methods
dbo	ACTProductServiceCode	Table that contains information regarding ACT Product Service Codes
dbo	ACTRequiringActivity	Lookup table that contains Acquisition Tracker Requiring Activities
dbo	ACTSocioEconomicCategory	Lookup table that contains Acquisition Tracker Socioeconomic Categories
dbo	ACTVAStation	Lookup table that contains Acquisition Tracker VA Stations
dbo	AdhocReport	Table that contains information about saved Ad Hoc reports
dbo	AdhocReportColumnList	Tables that contains information about columns for saved Ad Hoc reports
dbo	AdhocReportColumns	Tables that contains information about columns and filters for saved Ad Hoc reports
dbo	AdhocReportFilter	Table that contains information for filters regarding Ad Hoc reports
dbo	AdhocReportModule	Table that contains information about modules for Ad Hoc Reports
dbo	aspnet_Applications	Application IDs stored in aspnet_Membership, aspnet_Paths, and other provider-specific tables refer to the aspnet_Applications table, which contains a list of extant application IDs and the corresponding application names.
dbo	aspnet_Membership	The aspnet_Membership table has foreign-key relationships with two other provider database tables: aspnet_Applications and aspnet_Users. The aspnet_Membership table's ApplicationId column references the column of the same name in the aspnet_Applications table. (Although this column is not strictly necessary, because the UserId can be used to derive the ApplicationId, the ApplicationId column was added to the aspnet_Membership table to speed up queries and reduce the need to join through to the aspnet_Users table.) aspnet_Membership's UserId column references the column of the same name in the aspnet_Users table. A complete record for a given membership user consists of data corresponding to that user's user ID in the aspnet_Users table, and data corresponding to the same user ID in the aspnet_Membership table.

dbo	aspnet_Paths	This table not currently used. The aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables contain columns named PathID that refer to the column of the same name in the aspnet_Paths table. Each entry in the aspnet_Paths table defines one path (for example, ~/MyPage.aspx) for which Web Parts personalization state has been saved. Paths are defined in a separate table, because, for a given path, a personalization provider may be asked to save two types of state: per-user and shared. In that case, both the aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables will contain entries for the corresponding paths, and each entry will contain a PathId referring to the same entry in aspnet_Paths.
dbo	aspnet_PersonalizationAllUsers	This table currently not used. The aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables contain columns named PathID that refer to the column of the same name in the aspnet_Paths table. Each entry in the aspnet_Paths table defines one path (for example, ~/MyPage.aspx) for which Web Parts
dbo	aspnet_PersonalizationPerUser	This table currently not used. The aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables contain columns named PathID that refer to the column of the same name in the aspnet_Paths table. Each entry in the aspnet_Paths table defines one path (for example, ~/MyPage.aspx) for which Web Parts
dbo	aspnet_Profile	The aspnet_Profile table has a foreign-key relationship with one other provider database table: aspnet_Users. The aspnet_Profile table's UserId column references the column of the same name in the aspnet_Users table, and it is used to scope profile data by user.
dbo	aspnet_Roles	Each record in aspnet_Roles corresponds to one role. The ApplicationId column refers to the column of the same name in the aspnet_Applications table, and it is used to scope roles by application.
dbo	aspnet_SchemaVersions	Contains current/non-current schema versions.
dbo	aspnet_Users	aspnet_Users is another example of a table that's shared by SQL providers. It stores core provider-agnostic information regarding users, including user names and user IDs.
dbo	aspnet_UsersInRoles	Links Users to Roles
dbo	aspnet_WebEvent_Events	This table currently not used. aspnet_WebEvents_Events is a stand-alone table that has no relationships with other tables in the provider database. Many of its fields are filled with values obtained from WebBaseEvent properties of the same name. ApplicationPath, ApplicationVirtualPath, and MachineName contain values obtained from the Web event's ApplicationInformation property.
dbo	AssignerSOR	Table that Links Users to Assigner System of Record
dbo	Audit	Table that logs basic action taken by users per record
dbo	AuditAction	Reference table that stores the kinds of audit actions taken
dbo	AuditModules	Table that contains Audit Module information
dbo	Award	Table that contains information about Awards
dbo	AwardHistory	Contains a history of all the records that have been modified in the Award table
dbo	AwardUpload	Contains binary images of Uploaded documents in reference to a contract award

dbo	BusinessType	Lookup table for types of businesses
dbo	CAPField	Table that contains information regarding CAP fields
dbo	CAPServicingAgency	Table that contains information regarding CAP servicing agencies
dbo	CAPStatus	Table that contains information regarding CAP Statuses
dbo	CAPStatusSubs	Table that maps allowed statuses between the CAPStatus and CAPSubStatus tables.
dbo	CAPSubStatus	Table that contains information regarding CAP Substatuses
dbo	CommentType	Lookup table for types of comments of users
dbo	ControlTree	Main hierarchical permission control of administrative modules
dbo	Dashboard	Link user controls to dashboard zones on user dashboard
dbo	DashboardControl	Lookup table of all user controls possibly seen on the user dashboard
dbo	DCAssignments	Table that contains information about DC assignments including parents and children
dbo	DirAssignments	Table that contains information regarding director assignments
dbo	DocumentHistory	Contains history of changes that have been made to the records in the document table
dbo	Documents	Contains information about documents uploaded to the application
dbo	DocumentUpload	Contains binary images of uploaded documents along with ancillary information
dbo	ectosBidIntention	Tables contains information associated with ECTOS bid intentions
dbo	ectosBidIntentionUpload	Tables contains information associated with uploads relevant to ectos bid intentions
dbo	ectosCompetitiveProcedure	Lookup table that contains ectos competitive procedure information
dbo	ectosContract	Table that contains records of contracts and information associated with those contracts
dbo	ectosContractHistory	Table that contains history of updated Contract Records
dbo	ectosContractMod	Table that contains ectos modification records
dbo	ectosContractModHistory	Table that contains history information of contract modifications
dbo	ectosContractModUpload	Table that contains uploaded documents associated with ectos contract modifications
dbo	ectosContractSubContracting	Table that contains information regarding ATOMS subcontracting
dbo	ectosContractType	Lookup table that contains information about types of ectos contracts
dbo	ectosContractUpload	Table that contains uploads associated with ectos contracts
dbo	ectosEmailModuleType	Lookup table that contains ectos Email Module Types
dbo	ectosGeneralAnnouncement	Table that contains information about ectos General Announcements
dbo	ectosGeneralAnnouncementHistory	Table that contains information regarding history of ectos general announcements.
dbo	ectosGeneralAnnouncementUpload	Table that contains uploads for ectos general Announcements
dbo	ectosGeneralAnnouncementVendor	Table that contains information regarding vendors for ectos general announcements
dbo	ectosGeneralAnnouncementVendorHistory	Table that contains history information regarding vendors for ectos general announcements
dbo	ectosIDIQ	Table that contains ectos IDIQ information
dbo	ectosMarketResearchVendor	Information that contains information about ectos Market Research Vendors
dbo	ectosMessagesDocuments	Table that contains information for RTEPs, options, and task

		orders
dbo	ectosMessagesDocumentsUpload	Table that contains uploaded documents associated with ectos messages and documents
dbo	ectosModuleType	Lookup table that contains ectos module types
dbo	ectosQA	Table that contains information regarding ectos questions and answers
dbo	ectosQAUpload	Table that contains uploads associated with questions and answers
dbo	ectosReportSmallBusinessParticipation	Table that contains information regarding a report about small business participation
dbo	ectosRevision	Table that contains information regarding ectos revisions
dbo	ectosRevisionHistory	Table that contains information regarding history information of ECTOS revisions.
dbo	ectosRevisionUpload	Table that contains uploads associated with ectos revisions
dbo	ectosRTEP	Table that contains information regarding ectos requests for task execution plans
dbo	ectosRTEPHistory	Table that contains history information for ectos RTEPs
dbo	ectosRTEPTechEval	Table that contains information regarding ectos RTEP Technical Evaluations
dbo	ectosRTEPTechEvalUpload	Table that contains uploaded documents regarding ectos RTEP Technical Evaluations
dbo	ectosRTEPTEPCom	Table that contains information regarding ectos request for task execution plans communications
dbo	ectosRTEPTEPComHistory	Tables that contains history information for ectos RTEP TEP communications
dbo	ectosRTEPTEPComUpload	Table that contains uploads associated with ectos request for task execution plans and task execution plan communications
dbo	ectosRTEPTEPSub	Table that contains information regarding ectos request for task execution plans and task execution plan submissions
dbo	ectosRTEPTEPSubUpload	Table that contains uploads associated with ectors requests for task execution plans and task execution plan submissions
dbo	ectosRTEPUpload	Table that contains uploads associated with ectos request for task execution plans
dbo	ectosRTEPVendor	Table that contains information regarding vendors ectos request for task execution plans
dbo	ectosRTEPVendorHistory	Table that contains history information about RTEP Vendors
dbo	ectosStatus	Lookup table for ectos status
dbo	ectosTaskOrder	Table that contains information regarding ectos task orders
dbo	ectosTaskOrderHistory	Table that contains information about the history of task orders
dbo	ectosTaskOrderMod	Table that contains information regarding modifications to task orders
dbo	ectosTaskOrderModHistory	Table that contains history information for task order modifications
dbo	ectosTaskOrderModUpload	Table that contains uploads associated with modifications to task orders
dbo	ectosTaskOrderReport	Table containing information regarding task order reports
dbo	ectosTaskOrderReportName	Lookup table that contains names of reports for task orders
dbo	ectosTaskOrderReportSubcontracting	Table that contains information regarding ectos Task Order Report Subcontracting
dbo	ectosTaskOrderReportType	Lookup table that contains types of task order reports
dbo	ectosTaskOrderReportUpload	Table that contains uploads associated with reports on task orders
dbo	ectosTaskOrderStatus	Lookup table that contains task order statuses
dbo	ectosTaskOrderTEP	Table that contains information associated with task execution

		plans for task orders
dbo	ectosTaskOrderTEPCom	Table that contains information regarding task order task execution plan communications
dbo	ectosTaskOrderTEPComUpload	Table that contains uploads associated with ectos tack order task execution plan communications
dbo	ectosTaskOrderTEPUpload	Table that contains uploads associated with ectos task order task execution plans
dbo	ectosTaskOrderUpload	Table that contains uploads associated with task orders
dbo	ectosTechEvalUsers	Table that contains information regarding users for technical evaluations
dbo	ectosVendor	Table that contains information regarding ectos vendors
dbo	ectosVendorBusinessType	Table that links ectos vendors and business types
dbo	ectosVendorBusinessTypeHistory	Table that contains history information of ectos vendors and business types
dbo	ectosVendorHistory	Table that contains history information for ecots vendors
dbo	ectosVendorPermissions	Table that contains permissions for ectos vendors
dbo	ectosVendorPermissionsType	Lookup table for types of vendor permissions
dbo	EmailTemplate	Templates for emails sent by application
dbo	FAQ	Frequently Asked Questions and Question and Answers for application
dbo	IdeaApplication	Supplied Idea Information
dbo	IdeaAudit	Audits of ideas
dbo	IdeaAuditAction	Lookup table for Audit Actions
dbo	IdeaChallenge	Lookup table for Idea Challenges
dbo	IdeaComments	Comments submitted for ideas
dbo	IdeaOutreach	Lookup table for listing of Idea Outreaches
dbo	IdeaPresentationCalendar	Dates and times of Idea Presentations per Idea
dbo	IdeaReader	Links Readers to assigned ideas
dbo	IdeaReviewer	Links Reviewers to assigned Ideas
dbo	IdeaReviewerType	Lookup table for types of reviewers
dbo	IdeaReviewStatus	Contains information when an Idea has an idea Status change
dbo	IdeaReviewUpload	Contains Uploads of various types in support of Ideas
dbo	IdeaStatus	Lookup table for Idea Status
dbo	IdeaStrength	Look up table for names of idea strengths
dbo	IdeaUpload	Contains binary images of uploaded documents in support of an idea application
dbo	InnovationAction	Table that contains information regarding innovation actions
dbo	InnovationApplication	Supplied Innovation Information
dbo	InnovationApprovalReason	Table that contains information regarding reason for approval
dbo	InnovationAudit	Audits of Innovations
dbo	InnovationAuditAction	Lookup table for Audit Actions
dbo	InnovationComments	Comments submitted for Innovations
dbo	InnovationCommentType	Table that contains information regarding Innovation Comment Types
dbo	InnovationDashboardColumns	Table that contains information regarding columns on the innovation dashboard
dbo	InnovationDashboardUserList	Table that contains information regarding users of the innovation dashboard
dbo	InnovationEmailTemplate	Templates for emails sent by application
dbo	InnovationReader	Links Readers to assigned Innovations
dbo	InnovationReviewer	Links Reviewers to assigned Innovations
dbo	InnovationReviewStatus	Contains when an Innovation has an Innovation Status chnage
dbo	InnovationReviewUpload	Contains Uploads of various types in support of Innovations
dbo	InnovationStatus	Lookup table for Innovation Status

dbo	InnovationTopic	Lookup table for Innovation Challenges
dbo	InnovationTopicFiscalYear	Table that contains information regarding Innovation Topic Fiscal Years
dbo	InnovationUpload	Contains binary images of uploaded documents in support of an Innovation application
dbo	InnovationUploadType	Table that contains information regarding Innovation Upload Types
dbo	InternalInnovation	Table that contains information regarding Internal Innovations
dbo	InternalInnovationGroup	Lookup table for Internal Innovations Group
dbo	InternalInnovationPanel	Lookup table that contains Internal Innovation Panel information
dbo	InternalInnovationReview	Table that contains information regarding Reviews of Internal Innovations
dbo	InternalInnovationStatus	Lookup table that contains Status information of Internal Innovations
dbo	InternalInnovationUpload	Contains binary images of uploaded documentation and other data about the document
dbo	InternalInnovationUploadType	Lookup table that contains Types if Internal Innovation Uploads
dbo	LinkCategories	Contains categories of links to appear in left side navigation
dbo	Links	Contains links and descriptive information for links that may appear in left side navigation
dbo	MainTree	Left side navigation for SIP. Supplier portion of application
dbo	MainTreeRole	Table that links NodeID in the MainTree table to a RoleName
dbo	MICategory	Lookup table that contains information regarding MI Categories
dbo	MIContractActionType	Table that contains information regarding Major Initiative Contract Action Types
dbo	MIContractingOffice	Lookup table that contains MI contracting office information
dbo	MIHybridTypeOfFunding	Table that contains information regarding types of funding for Major Initiative Hybrids
dbo	Milestone	Table that contains information regarding Milestones
dbo	MilestoneCategory	Table that contains information regarding milestone categories
dbo	MilestoneHistory	Table that contains information regarding history of milestones
dbo	MilestoneRequirement	Table that contains information regarding milestone requirements
dbo	MilestoneType	Table that contains information regarding milestone types
dbo	MilestoneTypeColumn	Table that contains information regarding milestone type columns
dbo	MIMajorInitiative	Table that contains information regarding MI Major Initiatives
dbo	MIMajorInitiativeCOContacts	Primary Key. AutoID
dbo	MIMajorInitiativeContacts	Table that contains information regarding Contacts for Major Initiatives
dbo	MIMajorInitiativeContactType	Table that contains information regarding contacts for Major Initiatives
dbo	MIMajorInitiativeHistory	Table that contains history information regarding MI Major Initiatives
dbo	MIOITFundingYears	Lookup table that contains
dbo	MISource	Lookup table that contains information regarding MI Sources
dbo	MITypeOfFunding	Lookup table that contains information regarding MI Types of Funding
dbo	ModuleType	Contains Modules that may appear in the left side tree
dbo	PageLog	Logs pages used by users
dbo	Person	Personal information per user
dbo	PersonAcquisitionListData	Table that contains information regarding data for the person acquisition list

dbo	PersonAdhocReportAccess	Table that contains information regarding Ad Hoc Report access by UserID
dbo	PersonBusinessType	Table that links users information in the Person table with the BusinessType table
dbo	PersonChallenge	Links Users via the UserID to a Challenge
dbo	PersonContractingOffice	Table that associates Users with Contracting Offices
dbo	PersonInitiative	Table that links users to Initiatives
dbo	PersonInnovationDashboardData	Table that contains information regarding data by user for the Person Innovation Dashboard
dbo	PersonInternalInnovationPanel	Links users to internal innovations panels
dbo	PersonProposalsType	Table that associates Proposals with Users
dbo	PersonRequiringActivity	Table that links users to requiring activities
dbo	PersonTopic	Links Users via the UserID to a Topic
dbo	Proposal	Contains uploaded proposals and ancillary information about the proposal
dbo	Proposals	Contains uploaded proposals and ancillary information about the proposal
dbo	ProposalsType	Lookup table for types of proposals
dbo	ProposalsUpload	Contains binary images of uploaded documentation and other data about the document
dbo	ProposalType	Lookup table for types of proposals
dbo	ProposalUpload	Contains binary images of uploaded documentation and other data about the document
dbo	Quarter	Table that contains dates for fiscal quarters
dbo	RadEdit	Stores formatted text input using the Telerik RadEditor Control
dbo	RadEditUpload	Contains binary images of uploaded documents in support of text entered into a radeditor along with ancillary information
dbo	RecordType	Table that contains types of Records
dbo	RoleCategory	Lookup table that contains information about categories of roles
dbo	RoleData	Table that contains Roles and information about those Roles
dbo	RoleType	Contains Type of Roles
dbo	SentEmailLog	Log of emails sent by the application
dbo	SORType	Lookup Table for System of Record
dbo	State	Table of all states and territories
dbo	TimeList	Lookup table used to populate drop down list for times regarding scheduling
dbo	TreePermission	Permissions for the left side tree
dbo	VAI2AdhocReport	Table that contains information about saved Ad Hoc reports
dbo	VAI2AdhocReportColumnList	Table that contains information regarding columns included in ad hoc reports for VAI2
dbo	VAI2AdhocReportColumns	Table that contains information regarding columns used in VAI2 ad hoc reports
dbo	VAI2AdhocReportColumnType	Table that contains information regarding about the VAI2 Ad Hoc Reporting Module
dbo	VAI2AdhocReportFilter	Table that contains information regarding filter for VAI2 Ad Hoc Reports
dbo	VRMProposal	Contains uploaded VRMProposals and ancillary information about the VRMProposal
dbo	VRMProposalType	Lookup table for types of VRMProposals
dbo	VRMProposalUpload	Contains binary images of uploaded documentation and other data about the document

[dbo].[AccessRequest]: Table that contains Access Requests and the status of those requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AccessRequestID	Int	4	N	Y	N	Primary Key, AutoID
Comment	NVarCharMax	-1	Y	N	N	Comments
Processed	Int	4	Y	N	N	Processed No=0 Yes=1
RequestDate	SmallDateTime	4	Y	N	N	Date of Request
ProcessedDate	SmallDateTime	4	Y	N	N	Date Processed
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table

[dbo].[AcqAssignmentType]: Lookup table for types of acquisition assignments

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqAssignmentTypeID	Int	4	N	Y	N	Primary Key, Auto-ID. Links to AcqAssignment Table
AssignmentName	NVarChar (50)	50	Y	N	N	Name of Assignment
ABBR	NVarChar (50)	50	Y	N	N	Abbreviation of Assignment

[dbo].[AcqRequest]: Table that holds records of acquisition requests from the ITARS system

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestID	Int	4	N	Y	N	Primary Key. AutoID
ACTID	Int	4	Y	N	N	Links to ACT table
AcqRequestAreaID	Int	4	Y	N	N	Links to AcqRequestArea table
RequestorEmail	NVarChar (50)	50	Y	N	N	Email Address of Requestor
RequestorUserID	UniqueIdentifier	16	Y	N	N	UserID of Requestor
COTREmail	NVarChar (100)	100	Y	N	N	Email Address of Contracting Officer Technical Representative
COTRUserID	UniqueIdentifier	16	Y	N	N	User ID of Contracting Officer Technical Representative
COEmail	NVarChar (100)	100	Y	N	N	Email Address of Contracting Officer
COUserID	UniqueIdentifier	16	Y	N	N	UserID of Contracting Officer. Links to aspnet_Users table
COIsUnknown	Int	4	Y	N	N	Flag to indicate if the Contracting Officer is unknown. 1= Unknown
RequirementTitle	NVarChar (250)	250	Y	N	N	Project Title
ITARSNumber	NVarChar (25)	25	Y	N	N	ITARS ID Number
EstCostThisFiscalYear	Decimal (18,2)	9	Y	N	N	Estimated Cost this Fiscal Year
NumberOfOptionYears	Int	4	Y	N	N	Number of Option Years
AcqRequestCompetitiveProcedureID	Int	4	Y	N	N	Links to AcqRequestCompetitiveProcedure table
AcqRequestTypeOfProcurementID	Int	4	Y	N	N	Type of Procurement. Links to AcqRequestTypeOfProcurement table
AcqRequestProcurementSubType1ID	Int	4	Y	N	N	Subtype1 of Procurement. Links to AcqRequestProcurementSubType1 table
AcqRequestProcurementSubType2ID	Int	4	Y	N	N	Subtype2 of Procurement. Links to AcqRequestProcurementSubType2 table
AcqRequestProcurementSubType3ID	Int	4	Y	N	N	Subtype3 of Procurement. Links to AcqRequestProcurementSubType3 table
RenewalOfExistingContract	Int	4	Y	N	N	Renewal of Existing Contract No

						Yes=1
DescriptionOfSupplyOrService	NVarChar (1000)	1000	Y	N	N	Description of Supply or Service
AssignerComments	NVarChar (1000)	1000	Y	N	N	Assigner Comments
SORTypeID	Int	4	N	N	N	Request System of Record. Link to SORType table
FiscalYear	Int	4	N	N	N	Fiscal Year
TrackingNumber	Int	4	N	N	N	Tracking Number
AcqRequestStatusID	Int	4	Y	N	N	Acquisition Request StatusID. Links to AcqRequestStatus Table
AvailSEWP	Int	4	Y	N	N	Indicates if available through SEWP No=0 Yes=1
SoleSource	Int	4	Y	N	N	Indicates if Sole Source No=0 Yes=1
ManufacturerMake	NVarChar (70)	70	Y	N	N	Manufacturer make
Model	NVarChar (50)	50	Y	N	N	Model
PartNo	NVarChar (50)	50	Y	N	N	Part Number
OtherPOC	NVarChar (50)	50	Y	N	N	Name of Other Point of Contact
eCMSAcqPlanActionNumber	NVarChar (20)	20	Y	N	N	Electronic Contract Management System Acquisition Plan Action Number
AcqRequestSpecialMgtCodeID	Int	4	Y	N	N	Links to AcqRequestSpecialMgtCode table
ACTContractVehicleID	Int	4	Y	N	N	Links to ACTContractVehicle table
ACTSocioeconomicCategoryID	Int	4	Y	N	N	Links to ACTSocioeconomicCategory table
ACTClassificationCodeID	Int	4	Y	N	N	Links to ACTClassificationCode table
ACTProcurementMethodID	Int	4	Y	N	N	Links to ACTProcurementMethod table
AcqRequestProgramOfficeID	Int	4	Y	N	N	Links to AcqRequestProgramOffice table
AcqRequestInitialPkgQualityID	Int	4	Y	N	N	Acquisition Request Initial Package Quality.
AcqRequestTypeOfWorkID	Int	4	Y	N	N	Links to AcqRequestTypeOfWork table
AcqRequestJobStatusID	Int	4	Y	N	N	Links to AcqRequestJobStatus table
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table
ARPPProgress	Int	4	Y	N	N	AARP Percent of Progress
CustComment	NVarChar (100)	100	Y	N	N	Customer Comments
AcqRequestRequiringActivityID	Int	4	Y	N	N	Links to AcqRequestRequiringActivity table
EstCostOfContractBO	Decimal (18,2)	9	Y	N	N	Estimated Cost of Contract Base Plus Option Years
SPINumber	NVarChar (50)	50	Y	N	N	SPI Number
AcqRequestPriorityID	Int	4	Y	N	N	Links to AcqRequestPriority table
ARROResult	Int	4	Y	N	N	Flag to indicate Release by ARRO 0=No. 1=Yes
ARROResultDate	Date	3	Y	N	N	Date Released by ARRO
AcqRequestProgramID	Int	4	Y	N	N	Links to AcqRequestProgram table
MgmtReviewRequired	Int	4	Y	N	N	Flag to indicate if Management Review Required. 0=No. 1=Yes

PMEmail	NVarChar (100)	100	Y	N	N	N	Email Address of Program Manager
PMUserID	UniqueIdentifier	16	Y	N	N	N	PM UserID. Links to aspnet_Users table
CurrentPackageQualityID	Int	4	Y	N	N	N	Links to CurrentPackageQuality table
PWSQualityID	Int	4	Y	N	N	N	Links to PWSQuality table
SecurityChecklistComplete	Int	4	Y	N	N	N	Flag to indicate Security Checklist Complete. 0=No. 1=Yes
AcqPlanQualityID	Int	4	Y	N	N	N	Links to AcqPlanQuality table
IGCEQualityID	Int	4	Y	N	N	N	Links to IGCEQuality table
FundingDoc	Int	4	Y	N	N	N	Flag to indicate funding document has been provided. 0=No. 1=Yes
JOFOCQualityID	Int	4	Y	N	N	N	Links to JOFOCQuality table
QASPQualityID	Int	4	Y	N	N	N	Links to QASPQuality table
EvalPlanDrafted	Int	4	Y	N	N	N	Flag to indicate an evaluation plan has been drafted. 0=No. 1=Yes
AcqRequestContractingStatusID	Int	4	Y	N	N	N	Links to AcqRequestContractingStatus table
ContractingStatusComment	NVarChar (1000)	1000	Y	N	N	N	Contracting Status Comment
AcqRequestAcquisitionOfficeID	Int	4	Y	N	N	N	Links to AcqRequestAcquisitionOffice table
LastUpdated	DateTime	8	N	N	N	N	Date Last Updated
UpdatedUserID	UniqueIdentifier	16	N	N	N	N	USERID of user who updated the record. Links to aspnet_Users table
AcqRequestPWSStatusID	Int	4	Y	N	N	N	Links to AcqRequestPWSStatus table
ISOSecurityIssue	Int	4	Y	N	N	N	Flag to indicate an ISO security issue. 0=No. 1=Yes
POSecurityIssue	Int	4	Y	N	N	N	Flag to indicate an PO security issue. 0=No. 1=Yes
VAAgreementNumber	NVarChar (50)	50	Y	N	N	N	VA Agreement Number
MICContractingOfficeID	Int	4	Y	N	N	N	Links to MICContractingOffice table
PendingComment	NVarChar (1000)	1000	Y	N	N	N	Comment while Pending
TechnicalEvaluationSupportRequired	Int	4	Y	N	N	N	Flag to indicate Technical Evaluation Support is required. 0=No. 1 = Yes.
eCMSFolderName	NVarChar (100)	100	Y	N	N	N	eCMS Folder Name
AltUserID	UniqueIdentifier	16	Y	N	N	N	Alternate User ID. Links to aspnet_users table.
ActualDollarObligation	Decimal (18,2)	9	Y	N	N	N	Actual Dollar Obligation
CAPServicingAgencyID	Int	4	Y	N	N	N	Links to CAPServicingAgency table
MITypeOfFundingID	Int	4	Y	N	N	N	Links to MITypeOfFunding table
MODNumber	NVarChar (6)	6	Y	N	N	N	Modification Number
ContractNumber	NVarChar (50)	50	Y	N	N	N	Contract Number
AwardedVendor	NVarChar (100)	100	Y	N	N	N	Awarded Vendor
SolicitationNumber	NVarChar (15)	15	Y	N	N	N	Solicitation Number
MICContractActionTypeID	Int	4	Y	N	N	N	Links to MICContractAction table
AcqRequestIDIQSubTypeID	Int	4	Y	N	N	N	Links to AcqRequestIDIQSubType table
AcqRequestModificationActionTypeID	Int	4	Y	N	N	N	Links to AcqRequestModificationAction table
IDIQOtherType	NVarChar (50)	50	Y	N	N	N	IDIQ Other Type

OrderNumber	NVarChar (50)	50	Y	N	N	Order Number
ServicingAgencyOther	NVarChar (50)	50	Y	N	N	
Form2237FundingDocNum	NVarChar (100)	100	Y	N	N	

[dbo].[AcqRequestAcquisitionOffice]: Lookup table that contains Acquisition Request Offices

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestAcquisitionOfficeID	Int	4	N	Y	N	Primary Key. AutoID
AcquisitionOffice	NVarChar (50)	50	N	N	N	Acquisition Office

[dbo].[AcqRequestAdminUpload]: Table that holds Uploaded documents by Admins related to Acquisition Requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestAdminUploadID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestID	Int	4	N	N	N	Links to AcqRequest Table
Filename	NVarChar (50)	50	Y	N	N	Filename of Document
Image	VarBinaryMax	-1	Y	N	N	Binary image of Document
Filesize	Int	4	Y	N	N	Filesize of Document
Extension	NChar (20)	20	Y	N	N	Extension Type of File
MimeType	NChar (20)	20	Y	N	N	Mime Type of File

[dbo].[AcqRequestArea]: Lookup table that contains Acquisition Request Areas

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestAreaID	Int	4	N	Y	N	Primary Key. AutoID
Area	NVarChar (250)	250	Y	N	N	Acquisition Request Area
Station	NVarChar (250)	250	Y	N	N	Acquisition Request Station
Section	NVarChar (250)	250	Y	N	N	Acquisition Request Section
Division	NVarChar (250)	250	Y	N	N	Acquisition Request Division
Organization	NVarChar (250)	250	Y	N	N	Acquisition Request Organization

[dbo].[AcqRequestAreaCompare]: Lookup table that contains Acquisition Request Area Compare Information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ITARSID	Int	4	N	Y	N	Primary Key. AutoID
Site	NVarChar (255)	255	Y	N	N	Acquisition Request Area Compare Site
Station No	Float	8	Y	N	N	Acquisition Request Area Compare Station Number
VISN	NVarChar (255)	255	Y	N	N	Acquisition Request Area Compare VISN
Region	NVarChar (255)	255	Y	N	N	Acquisition Request Area Compare Region
Org	NVarChar (255)	255	Y	N	N	Acquisition Request Area Compare Organization

[dbo].[AcqRequestAssignment]: Table that contains which users are assigned to Acquisition Requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestAssignmentID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestID	Int	4	Y	N	N	Links to AcqRequest Table
UserID	UniqueIdentifier	16	Y	N	N	UserID of Assigned User
AcqAssignmentTypeID	Int	4	Y	N	N	Links to AcqAssignment Table

[dbo].[AcqRequestAssignmentHistory]: Table that logs when assignment of users to Acquisition Requests are updated

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
--------	----------	------	----------	--------------	--------------	-------------

AcqRequestAssignmentHistoryID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestAssignmentID	Int	4	N	N	N	Links to AcqRequestAssignment Table
AcqRequestID	Int	4	Y	N	N	Links to AcqRequest Table
UserID	UniqueIdentifier	16	Y	N	N	UserID of Assigned User
AcqAssignmentTypeID	Int	4	Y	N	N	Links to AcqAssignmentType Table
AcqRequestHistoryMaxID	Int	4	N	N	N	Max ID of AcqRequestAssignmentID
UpdatedDate	DateTime	8	N	N	N	Date Updated
UpdatedUserID	UniqueIdentifier	16	N	N	N	UserID that was Updated
Deleted	Int	4	Y	N	N	Flag that marks deletion of record. Yes=1

[dbo].[AcqRequestComments]: Table that contains comments from users regarding acquisition requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestCommentsID	Int	4	N	Y	N	Primary Key. AutoID
Comment	NVarChar (1000)	1000	N	N	N	Acquisition Request Comments
AcqRequestID	Int	4	Y	N	N	Links to AcqRequest table
ACTID	Int	4	Y	N	N	Links to ACT table
CreatedByUserID	UniqueIdentifier	16	N	N	N	User ID of user who created the comments
CreatedDate	DateTime	8	N	N	N	Date comments created
Deleted	Int	4	Y	N	N	Flag to indicate if comments have been deleted
DeletedByUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted comments
DeletedDate	DateTime	8	Y	N	N	Date Comments Deleted
AcqRequestCommentTypeID	Int	4	Y	N	N	Links to AcqRequestCommentType
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date record updated

[dbo].[AcqRequestCommentType]: Lookup table that contains AcqRequest Comment Types.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestCommentTypeID	Int	4	N	Y	N	Primary Key. AutoID
CommentType	NVarChar (25)	25	N	N	N	Type of Comment

[dbo].[AcqRequestCompetitiveProcedure]: Lookup table that contains descriptions of acquisition request competitive procedures

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestCompetitiveProcedureID	Int	4	N	Y	N	Primary Key. AutoID
CompetitiveProcedure	NVarChar (50)	50	N	N	N	Description of acquisition request competitive procedures

[dbo].[AcqRequestContractingStatus]: Lookup table that contains Acquisition Request Contracting Statuses

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestContractingStatusID	Int	4	N	Y	N	Primary Key. AutoID
ContractingStatus	NVarChar (20)	20	N	N	N	Acquisition Request Contracting Status
ContractingStatusOrder	Int	4	N	N	N	Acquisition Request Contracting Order

[dbo].[AcqRequestError]: Table that contains a log of errors thrown regarding acquisition requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestErrorID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestID	Int	4	Y	N	N	Links to AcqRequest table
ErrorDescription	NVarChar (250)	250	Y	N	N	Description of Error
ErrorDate	DateTime	8	Y	N	N	Date of Error
UserID	UniqueIdentifier	16	Y	N	N	UserID of user who was making request when error occurred
SystemErrorMessage	NVarChar (250)	250	Y	N	N	Error message

[dbo].[AcqRequestHistory]: Table that contains records of changes to the AcqRequest Table

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestHistoryID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestID	Int	4	N	N	N	Links to AcqRequest table
ACTID	Int	4	Y	N	N	Links to ACT table
AcqRequestAreaID	Int	4	Y	N	N	Links to AcqRequestArea table
RequestorEmail	NVarChar (50)	50	Y	N	N	Email Address of Requestor
RequestorUserID	UniqueIdentifier	16	Y	N	N	UserID of Requestor
COTREmail	NVarChar (100)	100	Y	N	N	Email of Contracting Officer Technical Representative
COTRUserID	UniqueIdentifier	16	Y	N	N	UserID of Contracting Officer Technical Representative
COEmail	NVarChar (100)	100	Y	N	N	Email Address of Contracting Officer
COUserID	UniqueIdentifier	16	Y	N	N	UserID of Contracting Officer. Links to aspnet_users table
COIsUnknown	Int	4	Y	N	N	Flag to indicate if the Contracting Officer is unknown. 1 = Unknown
RequirementTitle	NVarChar (250)	250	Y	N	N	Project Title
ITARSNumber	NVarChar (25)	25	Y	N	N	ITARS Number
EstCostThisFiscalYear	Decimal (18,2)	9	Y	N	N	Estimated Cost
NumberOfOptionYears	Int	4	Y	N	N	Number of Option Years
AcqRequestCompetitiveProcedureID	Int	4	Y	N	N	Type of Procurement. Links to AcqRequestTypeOfProcurement table
AcqRequestTypeOfProcurementID	Int	4	Y	N	N	Type of Procurement. Links to AcqRequestTypeOfProcurement table
AcqRequestProcurementSubType1ID	Int	4	Y	N	N	Subtype1 of Procurement. Links to AcqRequestProcurementSubType table
AcqRequestProcurementSubType2ID	Int	4	Y	N	N	Subtype2 of Procurement. Links to AcqRequestProcurementSubType table
AcqRequestProcurementSubType3ID	Int	4	Y	N	N	Subtype3 of Procurement. Links to AcqRequestProcurementSubType table

						table
RenewalOfExistingContract	Int	4	Y	N	N	Renewal of Existing Contract No Yes=1
DescriptionOfSupplyOrService	NVarChar (1000)	1000	Y	N	N	Description of Supply or Service
AssignerComments	NVarChar (1000)	1000	Y	N	N	Assigner Comments
SORTypeID	Int	4	Y	N	N	Request System of Record. Link to SORType table
FiscalYear	Int	4	Y	N	N	Fiscal Year
TrackingNumber	Int	4	Y	N	N	Tracking Number
AcqRequestStatusID	Int	4	Y	N	N	Acquisition Request StatusID. Links to AcqRequestStatus Table
AvailSEWP	Int	4	Y	N	N	Indicates if available through SEWP No=0 Yes=1
SoleSource	Int	4	Y	N	N	Indicates if Sole Source No=0 Yes=1
ManufacturerMake	NVarChar (70)	70	Y	N	N	Manufacturer make
Model	NVarChar (50)	50	Y	N	N	Model
PartNo	NVarChar (50)	50	Y	N	N	Part Number
OtherPOC	NVarChar (50)	50	Y	N	N	Mitre Point of Contact
eCMSAcqPlanActionNumber	NVarChar (20)	20	Y	N	N	Electronic Contract Management System Acquisition Plan Action Number
AcqRequestSpecialMgtCodeID	Int	4	Y	N	N	Links to AcqRequestSpecialMgtCode table
ACTContractVehicleID	Int	4	Y	N	N	Links to ACTContractVehicle table
ACTProcurementMethodID	Int	4	Y	N	N	Links to AcqRequestProcurementMethod table
ACTClassificationCodeID	Int	4	Y	N	N	Links to AcqRequestClassCode table
ACTSocioeconomicCategoryID	Int	4	Y	N	N	Links to AcqRequestSocioEcoCategory table
AcqRequestProgramOfficeID	Int	4	Y	N	N	Links to AcqRequestProgramCategory table
AcqRequestInitialPkgQualityID	Int	4	Y	N	N	Acquisition Request Initial Package Quality.
AcqRequestTypeOfWorkID	Int	4	Y	N	N	Links to AcqRequestTypeOfWork table
AcqRequestJobStatusID	Int	4	Y	N	N	Links to AcqRequestJobStatus table
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table
ARPPProgress	Int	4	Y	N	N	AARP Percent of Progress
CustComment	NVarChar (100)	100	Y	N	N	Customer Comments
AcqRequestRequiringActivityID	Int	4	Y	N	N	Links to AcqRequestRequiringActivity table
EstCostOfContractBO	Decimal (18,2)	9	Y	N	N	Estimated Cost of Contract Base Plus Option Years
SPINumber	NVarChar (50)	50	Y	N	N	SIP Number
AcqRequestPriorityID	Int	4	Y	N	N	Links to AcqRequestPriority table
ARROResult	Int	4	Y	N	N	Flag to indicate Release by ARRO 0=No. 1=Yes
ARROResultDate	Date	3	Y	N	N	Date ARRO Released

AcqRequestProgramID	Int	4	Y	N	N	Links to AcqRequestProgram table
MgmtReviewRequired	Int	4	Y	N	N	Flag to indicate if Management Review Required. 0=No. 1=Yes
PMEmail	NVarChar (100)	100	Y	N	N	Email address of PM
PMUserID	UniqueIdentifier	16	Y	N	N	PM UserID. Links to aspnet_Users table
CurrentPackageQualityID	Int	4	Y	N	N	Links to CurrentPackageQuality table
PWSQualityID	Int	4	Y	N	N	Links to PWSQuality table
SecurityChecklistComplete	Int	4	Y	N	N	Flag to indicate Security Checklist Complete. 0=No. 1=Yes
AcqPlanQualityID	Int	4	Y	N	N	Links to AcqPlanQuality table
IGCEQualityID	Int	4	Y	N	N	Links to IGCEQuality table
FundingDoc	Int	4	Y	N	N	Flag to indicate funding document has been provided. 0=No. 1=Yes
JOFOCQualityID	Int	4	Y	N	N	Links to JOFOCQuality table
QASPQualityID	Int	4	Y	N	N	Links to QASPQuality table
EvalPlanDrafted	Int	4	Y	N	N	Flag to indicate an evaluation plan has been drafted. 0=No. 1=Yes
AcqRequestContractingStatusID	Int	4	Y	N	N	Links to AcqRequestContractingStatus table
ContractingStatusComment	NVarChar (1000)	1000	Y	N	N	Contracting Status Comment
AcqRequestAcquisitionOfficeID	Int	4	Y	N	N	Links to AcqRequestAcquisitionOffice table
LastUpdated	DateTime	8	Y	N	N	Date Last Updated
UpdatedUserID	UniqueIdentifier	16	N	N	N	USERID of user who updated the record. Links to aspnet_Users table
AcqRequestPWSStatusID	Int	4	Y	N	N	Links to AcqRequestPWSStatus table
ISOSecurityIssue	Int	4	Y	N	N	Flag to indicate an ISO security issue. 0=No. 1=Yes
POSecurityIssue	Int	4	Y	N	N	Flag to indicate an PO security issue. 0=No. 1=Yes
VAAgreementNumber	NVarChar (50)	50	Y	N	N	VA Agreement Number
MICContractingOfficeID	Int	4	Y	N	N	Links to MICContractingOffice table
PendingComment	NVarChar (1000)	1000	Y	N	N	Comment while Pending
TechnicalEvaluationSupportRequired	Int	4	Y	N	N	Flag to indicate Technical Evaluation Support is required. 0=No. 1 = Yes.
eCMSFolderName	NVarChar (100)	100	Y	N	N	eCMS Folder Name
AltUserID	UniqueIdentifier	16	Y	N	N	Alternate UserID. Links to aspnet_Users table
ActualDollarObligation	Decimal (18,2)	9	Y	N	N	Actual Dollar Obligation
CAPServicingAgencyID	Int	4	Y	N	N	Links to CAPServicingAgency table
MITypeOfFundingID	Int	4	Y	N	N	Links to MITypeOfFunding table
MODNumber	NVarChar (6)	6	Y	N	N	Modification Number
ContractNumber	NVarChar (50)	50	Y	N	N	Contract Number
AwardedVendor	NVarChar (100)	100	Y	N	N	Awarded Vendor
SolicitationNumber	NVarChar (15)	15	Y	N	N	Solicitation Number
MICContractActionTypeID	Int	4	Y	N	N	Links to MICContractActionType table
AcqRequestIDIQSubTypeID	Int	4	Y	N	N	Links to AcqRequestIDIQSubType table

AcqRequestModificationActionTypeID	Int	4	Y	N	N	Links to AcqRequestModificationActionType table
IDIQOtherType	NVarChar (50)	50	Y	N	N	Other IDIQ types
OrderNumber	NVarChar (50)	50	Y	N	N	Order Number
ServicingAgencyOther	NVarChar (50)	50	Y	N	N	Other Servicing Agency
Form2237FundingDocNum	NVarChar (100)	100	Y	N	N	Form 2237 Funding Document, if applicable

[dbo].[AcqRequestIDIQSubType]: Lookup table that contains information about Acquisition Request IDIQ Subtypes

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestIDIQSubTypeID	Int	4	N	Y	N	Primary Key. AutoID
IDIQSubType	NVarChar (50)	50	Y	N	N	IDIQ Subtype
OrderBy	Int	4	Y	N	N	Specifies display order
Disabled	Int	4	Y	N	N	Flag to indicate if the record is disabled. 1 = Yes.

[dbo].[AcqRequestJobStatus]: Lookup table that contains Acquisition Request Job Statuses

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestJobStatusID	Int	4	N	Y	N	Primary Key. AutoID
JobStatus	NVarChar (50)	50	N	N	N	Acquisition Request Job Status

[dbo].[AcqRequestListColumns]: Lookup table that contains information regarding columns in the Acquisition Request List

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestListColumnsID	Int	4	N	Y	N	Primary Key. AutoID
ColumnName	NVarChar (50)	50	Y	N	N	Column Name
ColumnDisplayName	NVarChar (50)	50	Y	N	N	Display Name of Column

[dbo].[AcqRequestModificationActionType]: Lookup table that contains information regarding modification action types for Acquisition Requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestModificationActionTypeID	Int	4	N	Y	N	Primary Key. AutoID
ModificationActionType	NVarChar (50)	50	Y	N	N	Modification action type
OrderBy	Int	4	Y	N	N	Specifies display order
Disabled	Int	4	Y	N	N	Flag to indicate if the record is disabled. 1 = Yes.

[dbo].[AcqRequestPackageQuality]: Lookup table that contains Acquisition Request Package Qualities

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestPackageQualityID	Int	4	N	Y	N	Primary Key. AutoID
PackageQuality	NVarChar (50)	50	Y	N	N	Acquisition Request Package Quality

[dbo].[AcqRequestPriority]: Lookup table that contains Acquisition Request Priorities

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestPriorityID	Int	4	N	Y	N	Primary Key. AutoID
Priority	NVarChar (50)	50	Y	N	N	Acquisition Request Priority

[dbo].[AcqRequestProcurementSubType1]: Lookup table that contains information about procurement sub types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestProcurementSubType1ID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestTypeOfProcurementID	Int	4	N	N	N	Links to AcqRequestTypeOfProcurement table
SubType1	NVarChar (100)	100	Y	N	N	Name of Sub Type1

[dbo].[AcqRequestProcurementSubType2]: Lookup table that contains information about procurement sub types for sub type 2

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestProcurementSubType2ID	Int	4	N	Y	N	Lookup table that contains information about procurement sub types
AcqRequestProcurementSubType1ID	Int	4	N	N	N	Links to AcqRequestProcurementTypeSubType1 table
SubType2	NVarChar (100)	100	Y	N	N	Name of Sub Type2

[dbo].[AcqRequestProcurementSubType3]: Lookup table that contains information about procurement sub types for subtype3

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestProcurementSubType3ID	Int	4	N	Y	N	Lookup table that contains information about procurement sub types
AcqRequestProcurementSubType2ID	Int	4	N	N	N	Links to AcqRequestProcurementTypeSubType2 table
SubType3	NVarChar (100)	100	Y	N	N	Name of Subtype3

[dbo].[AcqRequestProgram]: Lookup table that contains Acquisition Request Programs

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestProgramID	Int	4	N	Y	N	Primary Key. AutoID
Program	NVarChar (50)	50	Y	N	N	Acquisition Programs

[dbo].[AcqRequestProgramOffice]: Lookup table for descriptions of acquisition request program offices

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestProgramOfficeID	Int	4	N	Y	N	Primary Key. AutoID
ProgramOffice	NVarChar (50)	50	N	N	N	Program Office

[dbo].[AcqRequestPWSStatus]: Lookup table that contains information regarding statuses of Acquisition Request performance work statements

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestPWSStatusID	Int	4	N	Y	N	Primary Key. AutoID
Status	NVarChar (30)	30	N	N	N	Status

[dbo].[AcqRequestQuality]: Lookup table that contains Acquisition Request Qualities

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestQualityID	Int	4	N	Y	N	Lookup table that contains
Quality	NVarChar (50)	50	Y	N	N	Acquisition Request Quality

[dbo].[AcqRequestRequiringActivity]: Lookup table that contains information regarding Acquisition Requests Requiring Activity

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestRequiringActivityID	Int	4	N	Y	N	Primary Key. AutoID
RequiringActivityName	NVarChar (20)	20	N	N	N	Activity Name
RequiringActivitySortOrder	Int	4	N	N	N	Sort Order of Activities for Display
Disabled	Int	4	Y	N	N	Flag to indicate Requiring Activity is disabled. 0=No. 1=Yes.

[dbo].[AcqRequestSpecialMgtCode]: Lookup table for descriptions of acquisition request special management codes

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestSpecialMgtCodeID	Int	4	N	Y	N	Primary Key. AutoID
SpecialMgtCode	NVarChar (50)	50	N	N	N	Description of acquisition request special management code

[dbo].[AcqRequestStatus]: Table that contains statuses of Acquisition Requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestStatusID	Int	4	N	Y	N	Primary Key. AutoID
Status	NChar (10)	10	N	N	N	Status Name

[dbo].[AcqRequestTypeOfProcurement]: Lookup table that contains information about acquisition request procurement types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestTypeOfProcurementID	Int	4	N	Y	N	Primary Key. AutoID
TypeOfProcurement	NVarChar (50)	50	Y	N	N	Type of Procurement
SORTypeID	Int	4	Y	N	N	Links to SORType table

[dbo].[AcqRequestTypeOfWork]: Lookup table for descriptions of acquisition request types of work

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestTypeOfWorkID	Int	4	N	Y	N	Primary Key. AutoID
TypeOfWork	NVarChar (50)	50	N	N	N	Description of acquisition request types of work

[dbo].[AcqRequestUpload]: Table that contains binary images of uploaded documents in support of an Acquisition Request

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestUploadID	Int	4	N	Y	N	Primary Key. AutoID
ITARSUploadID	Int	4	Y	N	N	ID from ITARS System
ITARSNumber	NVarChar (50)	50	Y	N	N	ITARS Number
Filename	NVarChar (100)	100	Y	N	N	Name of File
Image	VarBinaryMax	-1	Y	N	N	Image of File
Extension	NVarChar (20)	20	Y	N	N	Extension of File
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
AcqRequestID	Int	4	Y	N	N	Links to AcqRequest Table
Deleted	Int	4	Y	N	N	Flag to indicate if uploaded document has been "deleted"
UserID	UniqueIdentifier	16	Y	N	N	UserID of Person Uploading

						Document
DateDeleted	DateTime	8	Y	N	N	Date of Deletion
DocumentName	NVarChar (50)	50	Y	N	N	Name of Document
DocumentDescription	NVarChar (50)	50	Y	N	N	Description of Document
SourceURL	NVarChar (250)	250	Y	N	N	URL of source
Criteria	NVarChar (250)	250	Y	N	N	Criteria
UploadDatetime	DateTime	8	Y	N	N	Date and Time of Upload
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of Uploading User. Links to aspnet_Users table

[dbo].[AcqRequestUserList]: Table that contains information regarding the user list for acquisition requests

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestUserListID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
AcqRequestListColumnsID	Int	4	Y	N	N	Links to AcqRequestListColumns table

[dbo].[AcqRequestVAInitiatives]: Lookup table for information regarding acquisition request VA Initiatives

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestVAInitiativesID	Int	4	N	Y	N	Primary Key. AutoID
InitiativeOrder	Int	4	N	N	N	Display order of initiatives
Initiative	NVarChar (100)	100	N	N	N	Name of Initiative
Acronym	NVarChar (15)	15	Y	N	N	Acquisition Request VA Initiatives Acronym

[dbo].[AcqRequestVAInitiativesEndDate]: Table that contains information regarding End Dates of Acquisition Request VA Initiatives

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AcqRequestVAInitiativesEndDateID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table
FiscalYear	Int	4	Y	N	N	Fiscal Year
EndDate	DateTime	8	Y	N	N	End Date

[dbo].[ACT]: Table that contains Acquisition Tracker information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTID	Int	4	N	Y	N	Primary Key. AutoID
MI MajorInitiativeID	Int	4	Y	N	N	Links to MI MajorInitiative table
FiscalYear	Int	4	Y	N	N	Fiscal Year
RequirementID	Int	4	Y	N	N	Auto-incrementing number that is used to generate tracking number
AcquisitionTitle	NVarChar (250)	250	Y	N	N	Title of Acquisition
DescriptionOfSupplyOrService	NVarChar (1000)	1000	Y	N	N	Description of Supply or Service
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table
MICategoryID	Int	4	Y	N	N	Links to ACTCategory

MICContractingOfficeID	Int	4	Y	N	N	Links to ACTContractingOffice
ACTVAStationID	Int	4	Y	N	N	Links to ACTVAStation table
MITypeOfFundingID	Int	4	Y	N	N	Links ACTTypeOfFunding table
ACQRequestRequiringActivityID	Int	4	Y	N	N	Links to ACTRequiringActivity table
ACTSocioeconomicCategoryID	Int	4	Y	N	N	Links to ACTSocioeconomicCategory table
ACTProcurementMethodID	Int	4	Y	N	N	Links to ACTProcurementMethod table
ACTContractVehicleID	Int	4	Y	N	N	Links to ACTContractVehicle table
ACTClassificationCodeID	Int	4	Y	N	N	Links to ACTClassificationCode table
ACTProductServiceCodeID	Int	4	Y	N	N	Links to ACTProductServiceCode table
MICContractActionTypeID	Int	4	Y	N	N	Links to MICContractActionTypeID table
ContractNumber	NVarChar (50)	50	Y	N	N	Contract Number
IncumbentContractorCompanyName	NVarChar (100)	100	Y	N	N	Incumbent Contractor Company Name
Address	NVarChar (50)	50	Y	N	N	Address
ContractExpirationDate	Date	3	Y	N	N	Contract Expiration Date
EstDollarObligation	Decimal (18,2)	9	Y	N	N	Estimated Dollar Obligation
EstTotalValue	Decimal (18,2)	9	Y	N	N	Estimated Total Value
CAPSubStatusID	Int	4	Y	N	N	Links to CAPSubStatus table
ACTNAICSID	Int	4	Y	N	N	Links to ACTNAICS table
RequestorUserID	UniqueIdentifier	16	Y	N	N	UserID of Requestor. Links to aspnet_Users table
AltUserID	UniqueIdentifier	16	Y	N	N	User ID of Alternate. Links to aspnet_Users table
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 0=No. 1=Yes.
DeletedDate	Date	3	Y	N	N	Date of Deletion
UpdatedDate	DateTime	8	Y	N	N	Date of last update
ACTTrackingNumber	NVarChar (15)	15	Y	N	N	ACT Tracking Number
FiscalYearOriginal	Int	4	Y	N	N	Original Fiscal Year
CAPStatusID	Int	4	Y	N	N	Links to CAPStatus table

[dbo].[ACTClassificationCode]: Lookup table that contains Acquisition Tracker Classification Codes

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTClassificationCodeID	Int	4	N	Y	N	Primary Key. AutoID
ClassificationCode	NVarChar (5)	5	Y	N	N	Classification Code
ClassificationCodeDescription	NVarChar	100	Y	N	N	Description of

	(100)					Classification Code
OrderBy	Int	4	Y	N	N	Display order of Acquisition Tracker Classification Codes

[dbo].[ACTContractVehicle]: Lookup table that contains Acquisition Tracker Contract Vehicles

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTContractVehicleID	Int	4	N	Y	N	Primary Key. AutoID
ContractVehicle	NVarChar (50)	50	Y	N	N	Acquisition Tracker Contract Vehicles
OrderBy	Int	4	Y	N	N	Display order of Acquisition Tracker Contract Vehicles
Disabled	Int	4	Y	N	N	Flag to indicate record disabled. 0=No. 1=Yes.

[dbo].[ACTHistory]: Table that contains the history of all Acquisition Tracker records

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ACTID	Int	4	Y	N	N	Links to ACT table
MIMajorInitiativeID	Int	4	Y	N	N	Links to MI MajorInitiative table
FiscalYear	Int	4	Y	N	N	Fiscal Year
RequirementID	Int	4	Y	N	N	Auto-incrementing number that is used to generate tracking number
AcquisitionTitle	NVarChar (250)	250	Y	N	N	Title of Acquisition
DescriptionOfSupplyOrService	NVarChar (1000)	1000	Y	N	N	Description of Supply or Service
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVA Initiatives table
MICategoryID	Int	4	Y	N	N	Links to ACT Category table
MIContractingOfficeID	Int	4	Y	N	N	Links to ACTContractingOffice table
ACTVAStationID	Int	4	Y	N	N	LinkstoACTVAStation table
MITypeOfFundingID	Int	4	Y	N	N	Links to ACTTypeOfFunding table
ACQRequestRequiringActivityID	Int	4	Y	N	N	Links to ACTRequiringActivity table
ACTSocioeconomicCategoryID	Int	4	Y	N	N	Links to ACTSocioeconomicCategory table
ACTProcurementMethodID	Int	4	Y	N	N	Links to ACTProcurementMethod table
ACTContractVehicleID	Int	4	Y	N	N	Links to ACTContractVehicle table
ACTClassificationCodeID	Int	4	Y	N	N	Links to ACTClassificationCode table
ACTProductServiceCodeID	Int	4	Y	N	N	Links to ACTProductServiceCode table
MIContractActionTypeID	Int	4	Y	N	N	Links to MIContractActionType table
ContractNumber	NVarChar (50)	50	Y	N	N	ContractNumber

IncumbentContractorCompanyName	NVarChar (100)	100	Y	N	N	Incumbent Contractor Company Name
Address	NVarChar (50)	50	Y	N	N	Address
ContractExpirationDate	Date	3	Y	N	N	Date of Contract Expiration
EstDollarObligation	Decimal (18,2)	9	Y	N	N	Estimated Dollar Obligation
EstTotalValue	Decimal (18,2)	9	Y	N	N	Estimated Total Value
CAPSubStatusID	Int	4	Y	N	N	Links to CAPSubStatus table
ACTNAICSID	Int	4	Y	N	N	Links to ACTNAICS table
RequestorUserID	UniqueIdentifier	16	Y	N	N	UserID of Requestor. Links to aspnet_Users table
AltUserID	UniqueIdentifier	16	Y	N	N	UserID of Alternate. Links to aspnet_Users table
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of User who Updated Record. Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 0=No. 1=Yes.
DeletedDate	Date	3	Y	N	N	Date of Deletion
QuarterID	Int	4	Y	N	N	Links to Quarter table
UpdatedDate	DateTime	8	Y	N	N	Date of last update
ACTTrackingNumber	NVarChar (15)	15	Y	N	N	ACT Tracking Number
FiscalYearOriginal	Int	4	Y	N	N	Original Fiscal Year
CAPStatusID	Int	4	Y	N	N	Links to CAPStatus table

[dbo].[ACTNAICS]: Lookup table that contains Acquisition Tracker NAICS Code information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTNAICSID	Int	4	N	Y	N	Primary Key. AutoID
NAICS	Int	4	Y	N	N	NAICS Code
NAICSDescription	NVarChar (300)	300	Y	N	N	Description of NAICS Code

[dbo].[ACTProcurementMethod]: Lookup table that contains Acquisition Tracker Procurement Methods

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTProcurementMethodID	Int	4	N	Y	N	Primary Key. AutoID
ProcurementMethod	NVarChar (50)	50	Y	N	N	Procurement Mehtod
OrderBy	Int	4	Y	N	N	Display order of Acquisition Procurement Methods

[dbo].[ACTProductServiceCode]: Table that contains information regarding ACT Product Service Codes

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTProductServiceCodeID	Int	4	N	Y	N	Primary Key. AutoID
ACTClassificationCodeID	Int	4	Y	N	N	Links to ACTClassificationCode table
ProductServiceCode	NVarChar (10)	10	Y	N	N	Product Service Code
StartDate	Date	3	Y	N	N	Start Date
EndDate	Date	3	Y	N	N	End Date
ShortName	NVarChar (2000)	2000	Y	N	N	Short Name
LongName	NVarChar (2000)	2000	Y	N	N	Long Name
Includes	NVarChar (2000)	2000	Y	N	N	Includes
Excludes	NVarChar	2000	Y	N	N	Excludes

	(2000)					
Notes	NVarChar (2000)	2000	Y	N	N	Notes

[dbo].[ACTRequiringActivity]: Lookup table that contains Acquisition Tracker Requiring Activities

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTRequiringActivityID	Int	4	N	N	N	Primary Key. AutoID
RequiringActivityName	NVarChar (50)	50	Y	N	N	Name of Requiring Activity
OrderBy	Int	4	Y	N	N	Display Order of Acquisition Tracker Requiring Activities

[dbo].[ACTSocioEconomicCategory]: Lookup table that contains Acquisition Tracker Socioeconomic Categories

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTSocioEconomicCategoryID	Int	4	N	Y	N	Primary Key. AutoID
SocioEconomicCategory	NVarChar (50)	50	Y	N	N	Socioeconomic Category
OrderBy	Int	4	Y	N	N	Display order of Acquisition Tracker Socioeconomic Categories

[dbo].[ACTVAStation]: Lookup table that contains Acquisition Tracker VA Stations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ACTVAStationID	Int	4	N	Y	N	Primary Key. AutoID
Station	NVarChar (10)	10	Y	N	N	VA Station
StateCode	NVarChar (2)	2	Y	N	N	State Code
StationName	NVarChar (100)	100	Y	N	N	Station Name

[dbo].[AdhocReport]: Table that contains information about saved Ad Hoc reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AdhocReportID	Int	4	N	Y	N	Primary Key. AutoID
Title	NVarChar (250)	250	Y	N	N	Title of Report
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 0=No. 1=Yes.
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
CreateDate	DateTime	8	Y	N	N	Date Created
UpdatedDate	DateTime	8	Y	N	N	Date Updated
ColumnOrder	NVarChar (1000)	1000	Y	N	N	Specifies Column Order
Description	NVarChar (1000)	1000	Y	N	N	Description

[dbo].[AdhocReportColumnList]: Tables that contains information about columns for saved Ad Hoc reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AdhocReportColumnListID	Int	4	N	Y	N	Primary Key. AutoID
AdhocReportModuleID	Int	4	Y	N	N	Links to AdHocReportModule table
ColumnName	NVarChar (100)	100	Y	N	N	Name of column
DisplayName	NVarChar (100)	100	Y	N	N	Display Name
Data Type	Int	4	Y	N	N	Data Type
NotIncludeField	NVarChar (500)	500	Y	N	N	Fields not included

IncludeField	NVarChar (2000)	2000	Y	N	N	Fields Included
JoinField	NVarChar (4000)	4000	Y	N	N	Fields joined on

[dbo].[AdhocReportColumns]: Tables that contains information about columns and filters for saved Ad Hoc reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AdhocReportColumnsID	Int	4	N	Y	N	Primary Key. AutoID
AdhocReportID	Int	4	Y	N	N	Link to AdHocReport table
AdhocReportColumnListID	Int	4	Y	N	N	Links to AdHocReportColumnList table
AdhocReportFilterID	Int	4	Y	N	N	Link to AdHocReportFilter table
FilterValue	NVarChar (100)	100	Y	N	N	Filter value
FilterValue2	NVarChar (100)	100	Y	N	N	Second filter value

[dbo].[AdhocReportFilter]: Table that contains information for filters regarding Ad Hoc reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AdhocReportFilterID	Int	4	N	Y	N	Primary Key. AutoID
FilterName	NVarChar (50)	50	Y	N	N	Name of File
FilterType	NChar (10)	10	Y	N	N	Type of Filter

[dbo].[AdhocReportModule]: Table that contains information about modules for Ad Hoc Reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AdhocReportModuleID	Int	4	N	Y	N	Primary Key. AutoID
ModuleName	NVarChar (100)	100	Y	N	N	Name of Module

[dbo].[aspnet_Applications]: Application IDs stored in aspnet_Membership, aspnet_Paths, and other provider-specific tables refer to the aspnet_Applications table, which contains a list of extant application IDs and the corresponding application names.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ApplicationName	NVarChar (256)	256	N	N	N	Application name
LoweredApplicationName	NVarChar (256)	256	N	N	N	Application name (lowercase)
ApplicationId	UniqueIdentifier	16	N	Y	N	Primary key. Application ID
Description	NVarChar (256)	256	Y	N	N	Application description

[dbo].[aspnet_Membership]: The aspnet_Membership table has foreign-key relationships with two other provider database tables: aspnet_Applications and aspnet_Users. The aspnet_Membership table's ApplicationId column references the column of the same name in the aspnet_Applications table. (Although this column is not strictly necessary, because the UserId can be used to derive the ApplicationId, the ApplicationId column was added to the aspnet_Membership table to speed up queries and reduce the need to join through to the aspnet_Users table.) aspnet_Membership's UserId column references the column of the same name in the aspnet_Users table. A complete record for a given membership user consists of data corresponding to that user's user ID in the aspnet_Users table, and data corresponding to the same user ID in the aspnet_Membership table.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ApplicationId	UniqueIdentifier	16	N	N	Y	Link to aspnet_Application
UserId	UniqueIdentifier	16	N	Y	Y	Link to aspnet_Users table
Password	NVarChar (128)	128	N	N	N	Password (plaintext, hashed, encrypted; base-64-encoded)

						or encrypted)
PasswordFormat	Int	4	N	N	N	Password format (0=Plaintext, 1=Hashed, 2=Encrypted)
PasswordSalt	NVarChar (128)	128	N	N	N	Randomly generated 128-bit value used to salt password hashes in base-64-encoded form
MobilePIN	NVarChar (16)	16	Y	N	N	User's mobile PIN (currently not used)
Email	NVarChar (256)	256	Y	N	N	User's e-mail address
LoweredEmail	NVarChar (256)	256	Y	N	N	User's e-mail address (lowercase)
PasswordQuestion	NVarChar (256)	256	Y	N	N	Password question
PasswordAnswer	NVarChar (128)	128	Y	N	N	Answer to password question
IsApproved	Bit	1	N	N	N	1=Approved, 0=Not approved
IsLockedOut	Bit	1	N	N	N	1=Locked out, 0=Not locked out
CreateDate	DateTime	8	N	N	N	Date and time this account was created
LastLoginDate	DateTime	8	N	N	N	Date and time of this user's last login
LastPasswordChangedDate	DateTime	8	N	N	N	Date and time this user's password was last changed
LastLockoutDate	DateTime	8	N	N	N	Date and time this user was last locked out
FailedPasswordAttemptCount	Int	4	N	N	N	Number of consecutive failed password attempts
FailedPasswordAttemptWindowStart	DateTime	8	N	N	N	Date and time of first failed password attempt if FailedPasswordAttemptCount is nonzero
FailedPasswordAnswerAttemptCount	Int	4	N	N	N	Number of consecutive failed password answer attempts
FailedPasswordAnswerAttemptWindowStart	DateTime	8	N	N	N	Date and time of first failed password answer attempt if FailedPasswordAnswerAttemptCount is nonzero
Comment	NText	3000	Y	N	N	Additional text

[dbo].[aspnet_Paths]: This table not currently used. The aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables contain columns named PathID that refer to the column of the same name in the aspnet_Paths table. Each entry in the aspnet_Paths table defines one path (for example, ~/MyPage.aspx) for which Web Parts personalization state has been saved. Paths are defined in a separate table, because, for a given path, a personalization provider may be asked to save two types of state: per-user and shared. In that case, both the aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables will contain entries for the corresponding paths, and each entry will contain a PathId referring to the same entry in aspnet_Paths.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ApplicationId	UniqueIdentifier	16	N	N	Y	Link to aspnet_Applications table
PathId	UniqueIdentifier	16	N	Y	N	Primary key. Path ID
Path	NVarChar (256)	256	N	N	N	Path name
LoweredPath	NVarChar (256)	256	N	N	N	Path name (lowercase)

[dbo].[aspnet_PersonalizationAllUsers]: This table currently not used. The aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables contain columns named PathID that refer to the column of the same name in the aspnet_Paths table. Each entry in the aspnet_Paths table defines one path (for example, ~/MyPage.aspx) for which Web Parts

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PathId	UniqueIdentifier	16	N	Y	Y	Link to aspnet_Paths table. ID of the virtual path to which this state pertains

PageSettings	Image	6000	N	N	N	Serialized personalization state
LastUpdatedDate	DateTime	8	N	N	N	Date and time state was saved

[dbo].[aspnet_PersonalizationPerUser]: This table currently not used. The aspnet_PersonalizationPerUser and aspnet_PersonalizationAllUsers tables contain columns named PathID that refer to the column of the same name in the aspnet_Paths table. Each entry in the aspnet_Paths table defines one path (for example, ~/MyPage.aspx) for which Web Parts

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
Id	UniqueIdentifier	16	N	Y	N	Primary key
PathId	UniqueIdentifier	16	Y	N	Y	Link to aspnet_Paths table. ID of the virtual path to which this state pertains
UserId	UniqueIdentifier	16	Y	N	Y	Link to aspnet_Users table. ID of the user to which this state pertains
PageSettings	Image	6000	N	N	N	Serialized personalization state
LastUpdatedDate	DateTime	8	N	N	N	Date and time state was saved

[dbo].[aspnet_Profile]: The aspnet_Profile table has a foreign-key relationship with one other provider database table: aspnet_Users. The aspnet_Profile table's UserId column references the column of the same name in the aspnet_Users table, and it is used to scope profile data by user.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
UserId	UniqueIdentifier	16	N	Y	Y	Link to aspnet_Users table. ID of the user to which this profile data pertains
PropertyNames	NText	6000	N	N	N	Names of all property values stored in this profile
PropertyValuesString	NText	6000	N	N	N	Values of properties that could be persisted as text
PropertyValuesBinary	Image	6000	N	N	N	Values of properties that were configured to use binary serialization
LastUpdatedDate	DateTime	8	N	N	N	Date and time this profile was last updated

[dbo].[aspnet_Roles]: Each record in aspnet_Roles corresponds to one role. The ApplicationId column refers to the column of the same name in the aspnet_Applications table, and it is used to scope roles by application.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ApplicationId	UniqueIdentifier	16	N	N	Y	Link to aspnet_Applications table
RoleId	UniqueIdentifier	16	N	Y	N	Primary key. Role ID
RoleName	NVarChar (256)	256	N	N	N	Role name
LoweredRoleName	NVarChar (256)	256	N	N	N	Role name (lowercase)
Description	NVarChar (256)	256	Y	N	N	Role description (currently unused)

[dbo].[aspnet_SchemaVersions]: Contains current/non-current schema versions.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
Feature	NVarChar (128)	128	N	Y	N	Primary key. Description of Feature
CompatibleSchemaVersion	NVarChar (128)	128	N	Y	N	Primary key. Indicates compatible schema version
IsCurrentVersion	Bit	1	N	N	N	Indicates if current version

[dbo].[aspnet_Users]: aspnet_Users is another example of a table that's shared by SQL providers. It stores core provider-agnostic information regarding users, including user names and user IDs.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
--------	----------	------	----------	--------------	--------------	-------------

ApplicationId	UniqueIdentifier	16	N	N	Y	Application ID. Link to aspnet_Applications table
UserId	UniqueIdentifier	16	N	Y	N	Primary key
UserName	NVarChar (256)	256	N	N	N	User name
LoweredUserName	NVarChar (256)	256	N	N	N	User name (lowercase)
MobileAlias	NVarChar (16)	16	Y	N	N	User's mobile alias (currently not used)
IsAnonymous	Bit	1	N	N	N	1=Anonymous user, 0=Not an anonymous user
LastActivityDate	DateTime	8	N	N	N	Date and time of last activity by this user

[dbo].[aspnet_UsersInRoles]: Links Users to Roles

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
UserId	UniqueIdentifier	16	N	Y	Y	Link to aspnet_Users table
RoleId	UniqueIdentifier	16	N	Y	Y	Link to aspnet_Roles table

[dbo].[aspnet_WebEvent_Events]: This table currently not used. aspnet_WebEvents_Events is a stand-alone table that has no relationships with other tables in the provider database. Many of its fields are filled with values obtained from WebBaseEvent properties of the same name. ApplicationPath, ApplicationVirtualPath, and MachineName contain values obtained from the Web event's ApplicationInformation property.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
EventId	Char (32)	32	N	Y	N	Primary key. EventID
EventTimeUtc	DateTime	8	N	N	N	UTC time at which the event was fired (from WebBaseEvent.EventTimeUtc)
EventTime	DateTime	8	N	N	N	Local time at which the event was fired (from WebBaseEvent.EventTime)
EventType	NVarChar (256)	256	N	N	N	Event type (for example, WebFailureAuditEvent)
EventSequence	Decimal (19,0)	9	N	N	N	Event sequence number (from WebBaseEvent.EventSequence)
EventOccurrence	Decimal (19,0)	9	N	N	N	Event occurrence count (from WebBaseEvent.EventOccurrence)
EventCode	Int	4	N	N	N	Event code (from WebBaseEvent.EventCode)
EventDetailCode	Int	4	N	N	N	Event detail code (from WebBaseEvent.EventDetailCode)
Message	NVarChar (1024)	1024	Y	N	N	Event message (from WebBaseEvent.EventMessage)
ApplicationPath	NVarChar (256)	256	Y	N	N	Physical path of the application that generated the Web event (for example, C:\Websites\MyApp)
ApplicationVirtualPath	NVarChar (256)	256	Y	N	N	Virtual path of the application that generated the event (for example, /MyApp)
MachineName	NVarChar (256)	256	N	N	N	Name of the machine on which the event was generated
RequestUrl	NVarChar (1024)	1024	Y	N	N	URL of the request that generated the Web event
ExceptionType	NVarChar (256)	256	Y	N	N	If the Web event is a WebBaseErrorEvent, type of exception recorded in the ErrorException property; otherwise,

						DBNull
Details	NText	16	Y	N	N	Text generated by calling ToString on the Web event

[dbo].[AssignerSOR]: Table that Links Users to Assigner System of Record

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AssignerSORID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	N	N	N	Links to aspnet_users Table
SORTypeID	Int	4	N	N	N	Links to SORTypeID Table

[dbo].[Audit]: Table that logs basic action taken by users per record

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AuditId	Int	4	N	Y	N	Primary Key, AutoID
ModuleTypeAuditID	Int	4	N	N	N	Links to the ModuleType table
RecordId	Int	4	N	N	N	Logs the primary key of the record in the particular table it was modified
AuditActionId	Int	4	N	N	N	Links to the AuditAction table to describe the kind of action taken by the user
ActionUserId	UniqueIdentifier	16	N	N	N	User ID of the person making a record change. Links to the aspnet_Users table.
ActionDateTime	DateTime	8	N	N	N	Date and Time the action was taken
Version	Int	4	Y	N	N	Refers to a document version or module numbers that have versions
AffectedUserId	UniqueIdentifier	16	Y	N	N	UserID affected

[dbo].[AuditAction]: Reference table that stores the kinds of audit actions taken

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AuditActionId	Int	4	N	Y	N	Primary Key. AutoID
ActionName	NVarChar (250)	250	Y	N	N	Name of the audit action being taken

[dbo].[AuditModules]: Table that contains Audit Module information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AuditModulesID	Int	4	N	Y	N	Primary Key. AutoID
AuditModule	NVarChar (100)	100	Y	N	N	Audit Module
ModuleTypeAuditID	Int	4	Y	N	N	Links to ModuleType table

[dbo].[Award]: Table that contains information about Awards

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AwardID	Int	4	N	Y	N	Primary Key. AutoID
ContractNumber	NVarChar (500)	500	Y	N	N	Contract Number
OrderNumber	NVarChar (500)	500	Y	N	N	Order Number
ModNumber	NVarChar (500)	500	Y	N	N	Modification Number
AwardAmount	Decimal (18,2)	9	Y	N	N	Amount of Award
LegalBusinessName	NVarChar (500)	500	Y	N	N	Legal Business Name

ProjectTitle	NVarChar (1000)	1000	Y	N	N	Title of Project
BusinessTypeID	Int	4	Y	N	N	Links to BusinessType Table for Lookup
AwardDate	DateTime	8	Y	N	N	Date of Award
ContractCompletionDate	DateTime	8	Y	N	N	Contract Completion Date
UploadID	Int	4	Y	N	N	Links to AwardUpload Table
DocumentID	NVarChar (500)	500	Y	N	N	Links to Documents Table
EmailNotification	NVarChar (500)	500	Y	N	N	Flag to indicate if an Email Notification has been sent
Published	Int	4	Y	N	N	Flag to indicate if Award has been published to the public
ContractingOfficer	NVarChar (500)	500	Y	N	N	Name of Contracting Officer(s)
UniqueID	NVarChar (500)	500	N	N	N	UniqueID supplied by VA
AcqOffice	NVarChar (500)	500	Y	N	N	Name of the Acquisition Office
FiscalYear	NVarChar (500)	500	Y	N	N	Fiscal Year of Award
DUNS	NVarChar (50)	50	Y	N	N	DUNS

[dbo].[AwardHistory]: Contains a history of all the records that have been modified in the Award table

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AwardHistoryID	Int	4	N	N	N	Primary Key, AutoID
AwardID	Int	4	Y	N	N	Links to the Award table
ContractNumber	NVarChar (500)	500	Y	N	N	Contract Number
OrderNumber	NVarChar (500)	500	Y	N	N	Order Number
ModNumber	NVarChar (500)	500	Y	N	N	Modification Number
AwardAmount	Money	8	Y	N	N	Amount of Award
LegalBusinessName	NVarChar (500)	500	Y	N	N	Legal Business Name
ProjectTitle	NVarChar (1000)	1000	Y	N	N	Title of Project
BusinessTypeID	Int	4	Y	N	N	Links to BusinessType Table for lookup
AwardDate	DateTime	8	Y	N	N	Date of Award
ContractCompletionDate	DateTime	8	Y	N	N	Contract Date of Completion
UploadID	Int	4	Y	N	N	Links to Upload Table
AcqOffice	NVarChar (500)	500	Y	N	N	Links to AcqOffice Table
DocumentID	NVarChar (500)	500	Y	N	N	Proprietary Document Identifier
EmailNotification	NVarChar (500)	500	Y	N	N	Email address
Published	Int	4	Y	N	N	Flag to indicate whether the Award has been published to the public side of the application
ContractingOfficer	NVarChar (500)	500	Y	N	N	Contracting Officer(s) Name(s)
DateTime	DateTime	8	Y	N	N	Date and Time the record was entered
UserID	UniqueIdentifier	16	Y	N	N	UserID of the person entering Award information.

						Links to the aspnet_Users table
UniqueID	NVarChar (500)	500	Y	N	N	UnquniqueID supplied by VA
FiscalYear	NVarChar (500)	500	Y	N	N	Fiscal Year
DUNS	NVarChar (50)	50	Y	N	N	DUNS

[dbo].[AwardUpload]: Contains binary images of Uploaded documents in reference to a contract award

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
AwardUploadID	Int	4	N	Y	N	Primary key, AutoID
AwardID	Int	4	Y	N	N	Links to the Award table
Filename	NVarChar (100)	100	Y	N	N	Name of Upload File
Title	NVarChar (200)	200	Y	N	N	Title of file entered by user
Description	NVarChar (500)	500	Y	N	N	Description of Upload File
Image	VarBinaryMax	-1	Y	N	N	Binary image of Upload
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
UploadDate	DateTime	8	Y	N	N	Date of Upload
UploadUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Deleted flag
DeletedUserID	UniqueIdentifier	16	Y	N	N	User who Deleted file. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion

[dbo].[BusinessType]: Lookup table for types of businesses

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
BusinessTypeID	Int	4	N	Y	N	Primary key. AutoID
BusinessType	NVarChar (50)	50	N	N	N	Type of business
SortOrder	Int	4	Y	N	N	Sort order of business types
SmallBusiness	Int	4	Y	N	N	Flag to indicate small business. 0=No. 1=Yes.
BusinessTypeParticipationID	Int	4	Y	N	N	Indicates if the item will show up in the vendor report list or admin report list.

[dbo].[CAPField]: Table that contains information regarding CAP fields

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
CAPFieldID	Int	4	N	Y	N	Primary Key. AutoID
FieldName	NChar (100)	100	Y	N	N	Field Name
MilestoneTypeID	Int	4	Y	N	N	Links to Milestone Type table

[dbo].[CAPServicingAgency]: Table that contains information regarding CAP servicing agencies

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
CAPServicingAgencyID	Int	4	N	Y	N	Primary Key. AutoID
ServicingAgency	NVarChar (50)	50	Y	N	N	Servicing Agency
OrderBy	Int	4	Y	N	N	Specifies display order
Disabled	Int	4	Y	N	N	Flag to indicate if record is disabled. 1=Yes

[dbo].[CAPStatus]: Table that contains information regarding CAP Statuses

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
CAPStatusID	Int	4	N	Y	N	Primary Key. AutoID

Status	NVarChar (50)	50	Y	N	N	Status
Orderby	Int	4	Y	N	N	Specifies display order
Disabled	Int	4	Y	N	N	Flag to indicate if the record is disabled. 1 = Yes.

[dbo].[CAPStatusSubs]: Table that maps allowed statuses between the CAPStatus and CAPSubStatus tables.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
CAPStatusSubsID	Int	4	N	Y	N	Primary Key. AutoID
CAPStatusID	Int	4	Y	N	N	Links to CAPStatus table
CAPSubStatusID	Int	4	Y	N	N	Links to CAPSubStatus

[dbo].[CAPSubStatus]: Table that contains information regarding CAP Substatuses

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
CAPSubStatusID	Int	4	N	Y	N	Primary Key. AutoID
SubStatus	NVarChar (100)	100	Y	N	N	Substatus
OrderBy	Int	4	Y	N	N	Specifies display order
Disabled	Int	4	Y	N	N	Flag to indicate if the record is disabled. 1 = Yes.

[dbo].[CommentType]: Lookup table for types of comments of users

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
CommentTypeId	Int	4	N	Y	N	Primary key. AutoID
CommentType	Int	4	Y	N	N	Integer to indicate CommentType
CommentTypeName	NVarChar (50)	50	Y	N	N	Types of Comments including Reviewer Comment, Idea Manager Comment, Sub Reviewer Comment, Contract Officer

[dbo].[ControlTree]: Main hierarchical permission control of administrative modules

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
NodeID	Int	4	N	Y	N	Primary key. AutoID
NodeName	NVarChar (125)	125	Y	N	N	Name of Node
ParentID	Int	4	Y	N	N	ID of Parent Node
RootNodeID	Int	4	Y	N	N	ID of Root Node
NodeOrder	Int	4	Y	N	N	Order in which nodes are to be displayed
URL	NVarChar (150)	150	Y	N	N	Relative URL of node for navigation
ModuleTypeID	Int	4	Y	N	N	Links to ModuleType table.
Description	NVarChar (500)	500	Y	N	N	Description of Node
ShowDescription	Int	4	Y	N	N	Flag to show/hide description
PermissionsLocked	Int	4	Y	N	N	Flag to indicate if permissions are locked

[dbo].[Dashboard]: Link user controls to dashboard zones on user dashboard

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
DashboardID	Int	4	N	Y	N	Primary key. AutoID
DashboardTemplateID	Int	4	Y	N	N	ID of Template for Dashboard
DockID	Int	4	Y	N	N	ID of which area the control is to be placed

DashboardControlID	Int	4	Y	N	N	Links to DashboardControl table
--------------------	-----	---	---	---	---	---------------------------------

[dbo].[DashboardControl]: Lookup table of all user controls possibly seen on the user dashboard

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
DashboardControlID	Int	4	N	N	N	Primary Key. AutoID
DashboardControl	NVarChar (50)	50	Y	N	N	Name of Chart or Report
DashboardControlPath	NVarChar (100)	100	Y	N	N	Path to User Control
DashboardControlReportLink	NVarChar (100)	100	Y	N	N	Link for Reports on Dashboard

[dbo].[DCAssignments]: Table that contains information about DC assignments including parents and children

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
DCAssignmentsID	Int	4	N	Y	N	Primary Key. AutoID
RoleName	NVarChar (50)	50	N	N	N	Name of Role
ParentUserID	UniqueIdentifier	16	N	N	N	UserID of Parent. Links to aspnet_Users Table
ChildUserID	UniqueIdentifier	16	N	N	N	UserID of Child. Links to aspnet_Users Table

[dbo].[DirAssignments]: Table that contains information regarding director assignments

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
DirAssignmentsID	Int	4	N	Y	N	Primary Key. AutoID
ParentRoleName	NVarChar (50)	50	N	N	N	Parent Role Name
ParentUserID	UniqueIdentifier	16	N	N	N	UserID of Parent. Links to aspnet_Users table
ChildRoleName	NVarChar (50)	50	N	N	N	Child Role Name
ChildUserID	UniqueIdentifier	16	N	N	N	UserID of Child. Links to aspnet_Users table

[dbo].[DocumentHistory]: Contains history of changes that have been made to the records in the document table

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
DocumentHistoryID	Int	4	N	Y	N	Primary Key. AutoID
DocumentID	Int	4	N	N	N	Links to Document table
NodeID	Int	4	Y	N	N	Links to Control Tree table
DocumentTitle	NVarChar (50)	50	Y	N	N	Title of document
DocumentDescription	NVarChar (250)	250	Y	N	N	Description of document
Publish	Int	4	Y	N	N	Flag to indicate if document has been published to the public side of the application
Version	Int	4	Y	N	N	Version of document
UploadDate	DateTime	8	Y	N	N	Date and time document was uploaded
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of person who uploaded document. Links to the aspnet_Users table
DocumentUploadID	Int	4	Y	N	N	Links to the DocumentUpload table
Deleted	Int	4	Y	N	N	Deleted flag
DeletedUserID	UniqueIdentifier	16	Y	N	N	User who Deleted file. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion
DateTime	DateTime	8	Y	N	N	Date and Time of change to

						record in document table
UserID	UniqueIdentifier	16	Y	N	N	Userid of user who made change. Links to aspnet_Users table
AccessRestricted	Int	4	Y	N	N	

[dbo].[Documents]: Contains information about documents uploaded to the application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
DocumentID	Int	4	N	Y	N	Primary Key. AutoID
NodeID	Int	4	Y	N	N	Links to Control Tree table
DocumentTitle	NVarChar (50)	50	Y	N	N	Title of document
DocumentDescription	NVarChar (250)	250	Y	N	N	Description of document
Version	Int	4	Y	N	N	Version of document
Publish	Int	4	Y	N	N	Flag to indicate if document has been published to the public side of the application
UploadDate	DateTime	8	Y	N	N	Date and time document was uploaded
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of person who uploaded document. Links to the aspnet_Users table
DocumentUploadID	Int	4	Y	N	N	Links to the DocumentUpload table
Deleted	Int	4	Y	N	N	Deleted flag
DeletedUserID	UniqueIdentifier	16	Y	N	N	User who Deleted file. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion
AccessRestricted	Int	4	Y	N	N	

[dbo].[DocumentUpload]: Contains binary images of uploaded documents along with ancillary information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
DocumentUploadID	Int	4	N	Y	N	Primary key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of Upload File
Image	VarBinaryMax	-1	Y	N	N	Binary image of Upload
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
UploadDate	DateTime	8	Y	N	N	Date of Upload

[dbo].[ectosBidIntention]: Tables contains information associated with ECTOS bid intentions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosBidIntentionID	Int	4	N	Y	N	Primary Key. AutoID
ectosModuleTypeID	Int	4	Y	N	N	Links to ectosModuleType table
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ table
RecordID	Int	4	Y	N	N	RecordID refers to the key field based on the ectosModuleTypeID.
BidIntention	Int	4	Y	N	N	Bid Intention
BidIntentionDate	DateTime	8	Y	N	N	Date of bid intention
Comment	NVarChar (1000)	1000	Y	N	N	Comments
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
UpdatedDate	DateTime	8	Y	N	N	Date of last update
UpdatedUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table

[dbo].[ectosBidIntentionUpload]: Tables contains information associated with uploads relevant to ecots bid intentions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosBidIntentionUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosBidIntentionID	Int	4	Y	N	N	Links to ectosBidIntention table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary Image
Extension	NVarChar (10)	10	Y	N	N	Extension of file
MimeType	NVarChar (20)	20	Y	N	N	Mime type
Filesize	Int	4	Y	N	N	Size of file
RecordID	Int	4	Y	N	N	RecordID refers to the key field based on the ectosModuleTypeID.
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded file
UploadDate	DateTime	8	Y	N	N	Date of upload
Deleted	Int	4	Y	N	N	Flag to indicate if file was deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document
DeletedDate	DateTime	8	Y	N	N	Date of Deletion

[dbo].[ectosCompetitiveProcedure]: Lookup table that contains ectos competitive procedure information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosCompetitiveProcedureID	Int	4	N	Y	N	Primary Key. AutoID
CompetitiveProcedureName	NVarChar (50)	50	N	N	N	Name of competitive procedure
CompetitiveProcedureType	Int	4	Y	N	N	Type of competitive procedure
SortOrder	Int	4	Y	N	N	Display order of competitive procedure

[dbo].[ectosContract]: Table that contains records of contracts and information associated with those contracts

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosContractID	Int	4	N	Y	N	Primary Key. AutoID
ContractNumber	NVarChar (50)	50	Y	N	N	Contract number
ContractName	NVarChar (250)	250	N	N	N	Name of Contract
Description	NVarChar (1000)	1000	Y	N	N	Decsription of Contract
PerformancePeriod	NVarChar (50)	50	Y	N	N	Period of Perfromance of Contract
AwardDate	Date	3	Y	N	N	Date of Award
EndDate	Date	3	Y	N	N	Contract End Date
POCUserID	UniqueIdentifier	16	Y	N	N	Point of Pontact UserID. Links to the aspnet_Users Table
AltPOCUserID	UniqueIdentifier	16	Y	N	N	Alternate Point of Pontact UserID. Links to the aspnet_Users Table
ContractOrganization	NVarChar (50)	50	Y	N	N	Contract Organization
Notes	NVarChar (1000)	1000	Y	N	N	Notes
ContractStatus	Int	4	N	N	N	Indicates if Contract id Active

						or Inactive. 0=Inactive. 1=Active
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ table
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
UpdatedDate	DateTime	8	Y	N	N	Date of Last Update
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID who updated Contract. Links to aspnet_Users table

[dbo].[ectosContractHistory]: Table that contains history of updated Contract Records

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosContractHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosContractID	Int	4	N	N	N	Links to Contract Table
ContractNumber	NVarChar (50)	50	Y	N	N	Contract Number
ContractName	NVarChar (250)	250	Y	N	N	Name of Contract
Description	NVarChar (1000)	1000	Y	N	N	Description
PerformancePeriod	NVarChar (50)	50	Y	N	N	Contract Period of Performance
AwardDate	Date	3	Y	N	N	Contract Award Date
EndDate	Date	3	Y	N	N	Contract End Date
POCUserID	UniqueIdentifier	16	Y	N	N	Point of Contact UserID. Links to the aspnet_Users Table
AltPOCUserID	UniqueIdentifier	16	Y	N	N	Alternate Point of Contact UserID
ContractOrganization	NVarChar (50)	50	Y	N	N	Contract Organization
Notes	NVarChar (1000)	1000	Y	N	N	Notes
ContractStatus	Int	4	Y	N	N	Indicates if Contract id Active or Inactive. 0=Inactive. 1=Active
ectosIDIQID	Int	4	Y	N	N	Link to ectosIDIQ table
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
UpdatedDate	DateTime	8	N	N	N	Date Updated
UpdatedUserID	UniqueIdentifier	16	N	N	N	UserID of User Updating. Links to aspnet_Users Table

[dbo].[ectosContractMod]: Table that contains ectos modification records

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosContractModID	Int	4	N	Y	N	Primary Key. AutoID
ectosContractID	Int	4	Y	N	N	Links to ectosContractHistory
ModNumber	NVarChar (50)	50	Y	N	N	Number of modification
ModName	NVarChar (250)	250	Y	N	N	Name of modification
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Amount obligated
AwardAmount	Decimal (18,2)	9	Y	N	N	Award Amount
ModDescription	NVarChar (1000)	1000	Y	N	N	Description of modification
ModPerformancePeriod	NVarChar (50)	50	Y	N	N	Modification period of performance
ModAwardDate	Date	3	Y	N	N	Award date of modification
ModEndDate	Date	3	Y	N	N	Modification end date
ModPOCUserID	UniqueIdentifier	16	Y	N	N	UserID of point of contact for modification

ModAltPOCUserID	UniqueIdentifier	16	Y	N	N	UserID of alternate point of contact for modification
ModContractOrganization	NVarChar (50)	50	Y	N	N	Modification contract organization
ModNotes	NVarChar (1000)	1000	Y	N	N	Notes about modification
UpdatedDate	DateTime	8	Y	N	N	Date of Upload
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of User Uploading. Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Flag to indicate if Contract Mod deleted 1 = yes
DeletedDate	DateTime	8	Y	N	N	Date Deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID who deleted. Links to aspnet_Users table

[dbo].[ectosContractModHistory]: Table that contains history information of contract modifications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosContractModHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosContractModID	Int	4	Y	N	N	Links to ectosContractMod table
ectosContractID	Int	4	Y	N	N	Links to ectosContract table
ModNumber	NVarChar (50)	50	Y	N	N	Modification Number
ModName	NVarChar (250)	250	Y	N	N	Name of Modification
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Amount obligated
AwardAmount	Decimal (18,2)	9	Y	N	N	Award Amount
ModDescription	NVarChar (1000)	1000	Y	N	N	Description of Modification
ModPerformancePeriod	NVarChar (50)	50	Y	N	N	Period of Performance of Modification
ModAwardDate	Date	3	Y	N	N	Modification Award Date
ModEndDate	Date	3	Y	N	N	End date of modification
ModPOCUserID	UniqueIdentifier	16	Y	N	N	UserID of the modification Point of Contact. UserID links to aspnet_users table
ModAltPOCUserID	UniqueIdentifier	16	Y	N	N	UserID of the modification Alternate Point of Contact. UserID links to aspnet_users table
ModContractOrganization	NVarChar (50)	50	Y	N	N	Contract Organization associated with the modification
ModNotes	NVarChar (1000)	1000	Y	N	N	Modification Notes
UpdatedDate	DateTime	8	Y	N	N	Date Updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated. UserID links to aspnet_users table

[dbo].[ectosContractModUpload]: Table that contains uploaded documents associated with ectos contract modifications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
--------	----------	------	----------	--------------	--------------	-------------

ectosContractModUploadID	Int	4	N	Y	N	Primary Key. AutoID
FileName	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Extension	NVarChar (10)	10	Y	N	N	Extension of file
MimeType	NVarChar (20)	20	Y	N	N	Mime type
FileSize	Int	4	Y	N	N	Size of file
ectosContractModID	Int	4	Y	N	N	Links to ectosContractMod table
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document
UploadDate	DateTime	8	Y	N	N	Date of Upload
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document
DeletedDate	DateTime	8	Y	N	N	Date of deletion
Deleted	Int	4	Y	N	N	Flag to indicate if document has been deleted

[dbo].[ectosContractSubContracting]: Table that contains information regarding ATOMS subcontracting

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosContractSubcontractingID	Int	4	N	Y	N	Primary Key. AutoID
BusinessTypeParticipationID	Int	4	Y	N	N	Links to BusinessTypeParticipation
ectosContractID	Int	4	Y	N	N	Links to ectosContract table
AwardPercentage	Int	4	Y	N	N	Percentage of Award

[dbo].[ectosContractType]: Lookup table that contains information about types of ectos contracts

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosContractTypeID	Int	4	N	Y	N	Primary Key. AutoID
ectosContractTypeName	NVarChar (50)	50	Y	N	N	Name of contract type
SortID	Int	4	Y	N	N	Display sort order

[dbo].[ectosContractUpload]: Table that contains uploads associated with ectos contracts

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosContractUploadID	Int	4	N	Y	N	Primary Key. AutoID
FileName	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Extension	NVarChar (10)	10	Y	N	N	Extension of file
MimeType	NVarChar (20)	20	Y	N	N	Mime type
FileSize	Int	4	Y	N	N	Size of file
ectosContractID	Int	4	Y	N	N	Links to ectosContract table
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document
UploadDate	DateTime	8	Y	N	N	Date of upload
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document
DeletedDate	DateTime	8	Y	N	N	Date of deletion
Deleted	Int	4	Y	N	N	Flag to indicate if the document has been deleted

[dbo].[ectosEmailModuleType]: Lookup table that contains ectos Email Module Types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosEmailModuleTypeID	Int	4	N	Y	N	Primary Key. AutoID
ectosEmailModuleTypeName	NVarChar (50)	50	Y	N	N	ectos Email Module

						Type Name
EmailBody	NVarChar (1000)	1000	Y	N	N	Body of email
EmailSubject	NVarChar (250)	250	Y	N	N	Subject of Email

[dbo].[ectosGeneralAnnouncement]: Table that contains information about ectos General Announcements

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosGeneralAnnouncementID	Int	4	N	Y	N	Primary Key. AutoID.
ectosIDIQID	Int	4	Y	N	N	Links to IDIQ table
Title	NVarChar (250)	250	Y	N	N	Title of Announcement
Description	NVarChar (1000)	1000	Y	N	N	Description of Announcement
CreatedDate	DateTime	8	Y	N	N	Date Created
UpdatedDate	DateTime	8	Y	N	N	Date Updated
CreatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who created record. Links to aspnet_Users table.
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table.

[dbo].[ectosGeneralAnnouncementHistory]: Table that contains information regarding history of ectos general announcements.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosGeneralAnnouncementHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosGeneralAnnouncementID	Int	4	Y	N	N	Links to ectosGeneralAnnouncement table
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ table
Description	NChar (1000)	1000	Y	N	N	Description
Title	NChar (250)	250	Y	N	N	Title
CreatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who created record. Links to aspnet_Users table
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_Users table
CreatedDate	DateTime	8	Y	N	N	Date created
UpdatedDate	DateTime	8	Y	N	N	Date Updated

[dbo].[ectosGeneralAnnouncementUpload]: Table that contains uploads for ectos general Announcements

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosGeneralAnnouncementUploadID	Int	4	N	Y	N	Primary Key. AutoID.
FileName	NVarChar (100)	100	Y	N	N	Name of File
Image	VarBinaryMax	-1	Y	N	N	Binary Image
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (20)	20	Y	N	N	Mime Type
FileSize	Int	4	Y	N	N	Size of File
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded file. Links to aspnet_Users table.
UploadDate	DateTime	8	Y	N	N	Date of Upload

DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted file. Links to aspnet_Users table.
DeletedDate	DateTime	8	Y	N	N	Date of Deletion
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes.
ectosGeneralAnnouncementID	Int	4	Y	N	N	Links to ectosGeneralAnnouncement table

[dbo].[ectosGeneralAnnouncementVendor]: Table that contains information regarding vendors for ectos general announcements

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosGeneralAnnouncementVendorID	Int	4	N	Y	N	Primary Key. AutoID.
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
ectosGeneralAnnouncementID	Int	4	Y	N	N	Links to ectosGeneralAnnouncement table
UpdatedDate	DateTime	8	Y	N	N	Date Updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table.

[dbo].[ectosGeneralAnnouncementVendorHistory]: Table that contains history information regarding vendors for ectos general announcements

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosGeneralAnnouncementVendorHistoryID	Int	4	N	Y	N	Primary Key. AutoID.
ectosGeneralAnnouncementHistoryID	Int	4	Y	N	N	Links to ectosGeneralAnnouncement table
ectosGeneralAnnouncementID	Int	4	Y	N	N	Links to ectosGeneralAnnouncement table
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
UpdatedDate	DateTime	8	Y	N	N	Date record last updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table.

[dbo].[ectosIDIQ]: Table that contains ectos IDIQ information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosIDIQID	Int	4	N	Y	N	Primary Key. AutoID
Name	NVarChar (250)	250	Y	N	N	Name of ectos IDIQ
FullName	NVarChar (250)	250	Y	N	N	Full Name
SolicitationID	NVarChar (16)	16	Y	N	N	Solicitation Number of ectos IDIQ
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 0=No. 1=Yes.

[dbo].[ectosMarketResearchVendor]: Information that contains information about ectos Market Research Vendors

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosMarketResearchVendorID	Int	4	N	Y	N	Primary Key. AutoID
ectosMarketResearchID	Int	4	Y	N	N	Links to ectosMarketResearch

						table
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
UpdatedDate	DateTime	8	Y	N	N	Date Updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	User of user doing update Links to aspnet_users table

[dbo].[ectosMessagesDocuments]: Table that contains information for RTEPs, options, and task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosMessagesDocumentsID	Int	4	N	Y	N	Primary Key. AutoID
ectosModuleTypeID	Int	4	Y	N	N	Links to ectosModuleType table
SubmitDate	DateTime	8	Y	N	N	Date Submitted
Message	NVarChar (1000)	1000	Y	N	N	Message text
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ table
RecordID	Int	4	Y	N	N	RecordID refers to the key field based on the ectosModuleTypeID.
Deleted	Int	4	Y	N	N	Flag to indicate if document deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID od User who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date and Time of deletion

[dbo].[ectosMessagesDocumentsUpload]: Table that contains uploaded documents associated with ectos messages and documents

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosMessagesDocumentsUploadID	Int	4	N	Y	N	Primary Key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary Image
Extension	NVarChar (10)	10	Y	N	N	Extension of file
MimeType	NVarChar (20)	20	Y	N	N	Mime type
Filesize	Int	4	Y	N	N	Size of File
ectosMessagesDocumentsID	Int	4	Y	N	N	Links to ectosMessagesDocuments table
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document
UploadDate	DateTime	8	Y	N	N	Date of Upload
Deleted	Int	4	Y	N	N	Flag to indicate if file was deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosModuleType]: Lookup table that contains ectos module types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosModuleTypeID	Int	4	N	Y	N	Primary Key. AutoID
ectosModuleType	NVarChar (50)	50	N	N	N	Name of ectos module type

[dbo].[ectosQA]: Table that contains information regarding ectos questions and answers

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosQAID	Int	4	N	Y	N	Primary Key. AutoID
ectosModuleTypeID	Int	4	Y	N	N	Links to ectosModuleTypeID
RecordID	Int	4	Y	N	N	RecordID refers to the key field based on the ectosModuleTypeID.
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
QuestionDate	DateTime	8	Y	N	N	Date of question
Question	NVarChar (1000)	1000	Y	N	N	Question
QuestionUserID	UniqueIdentifier	16	Y	N	N	Userid of user who asked question. Links to aspnet_Users table
AnswerDate	DateTime	8	Y	N	N	Date of answer
Answer	NVarChar (1000)	1000	Y	N	N	Answer to question
AnswerUserID	UniqueIdentifier	16	Y	N	N	UserID of user who answered question. Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1= Yes
DeletedDate	DateTime	8	Y	N	N	Date of deletion
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table

[dbo].[ectosQAUpload]: Table that contains uploads associated with questions and answers

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosQAUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosQAID	Int	4	N	N	N	Links to ectosQA table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file
MimeType	NChar (20)	20	Y	N	N	Mime type
QAUploadDate	DateTime	8	Y	N	N	Date of upload
QAUploadUserID	UniqueIdentifier	16	Y	N	N	Userid of user who uploaded document. Links to aspnet_Users table
QAUploadType	Int	4	Y	N	N	Type of upload
Deleted	Int	4	Y	N	N	Flag to indicate if upload has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosReportSmallBusinessParticipation]: Table that contains information regarding a report about small business participation

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosReportSmallBusinessParticipationID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderReportID	Int	4	N	N	N	Links to ectosTaskOrderReport

						table
PercentSmallBusiness	Decimal (18,0)	9	Y	N	N	Percentage of small business participating
PercentDisadvantagedBusiness	Decimal (18,0)	9	Y	N	N	Percentage of disadvantaged businesses participating
PercentVeteranBusiness	Decimal (18,0)	9	Y	N	N	Percentage of veteran businesses participating
PercentServiceDisabledVeteranOwned	Decimal (18,0)	9	Y	N	N	Percentage of Service disabled veteran owned businesses participating
PercentLargeBusiness	Decimal (18,0)	9	Y	N	N	Percentage of large businesses participating
Percent8aBusiness	Decimal (18,0)	9	Y	N	N	Percentage of 8a businesses participating
PercentHubzoneBusiness	Decimal (18,0)	9	Y	N	N	Percentage of hubzone businesses participating
PercentWomenOwnedBusiness	Decimal (18,0)	9	Y	N	N	Percentage of women owned businesses participating
PercentHBCU	Decimal (18,0)	9	Y	N	N	Percentage of HBCU businesses participating
PercentMinorityInstitution	Decimal (18,0)	9	Y	N	N	Percentage of minority institutions participating
PercentOtherEducational	Decimal (18,0)	9	Y	N	N	Percentage of other educational businesses participating
PercentNonProfitAgency	Decimal (18,0)	9	Y	N	N	Percentage of non-profit agencies participating
PercentOther	Decimal (18,0)	9	Y	N	N	Percentage of other businesses participating

[dbo].[ectosRevision]: Table that contains information regarding ectos revisions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRevisionID	Int	4	N	Y	N	Primary Key. AutoID
RevisionNumber	NVarChar (4)	4	Y	N	N	Revision number
RecordID	Int	4	Y	N	N	RecordID refers to the key field based on the ectosModuleTypeID.
ectosModuleTypeID	Int	4	Y	N	N	Links to ectosModuleType table
RevisionTitle	NVarChar (250)	250	Y	N	N	Title of revision
RevisionDescription	NVarChar (1000)	1000	Y	N	N	Description of revision
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ table

RevisionDueDate	DateTime	8	Y	N	N	Due date of revision
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion
UpdatedDate	DateTime	8	Y	N	N	Date Updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_Users table

[dbo].[ectosRevisionHistory]: Table that contains information regarding history information of ECTOS revisions.

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRevisionHistoryID	Int	4	N	Y	N	Primary Key, AutoID
ectosRevisionID	Int	4	Y	N	N	Links to ectosRevision table
RevisionNumber	NVarChar (4)	4	Y	N	N	Revision number
RecordID	Int	4	Y	N	N	RecordID refers to the key field based on the ectosModuleTypeID.
ectosModuleTypeID	Int	4	Y	N	N	Links to ectosModuleType table
RevisionTitle	NVarChar (250)	250	Y	N	N	Title of revision
RevisionDescription	NVarChar (1000)	1000	Y	N	N	Description of revision
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ table
RevisionDueDate	DateTime	8	Y	N	N	Due date of revision
UpdatedDate	DateTime	8	Y	N	N	Date Updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_Users table

[dbo].[ectosRevisionUpload]: Table that contains uploads associated with ectos revisions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRevisionUploadID	Int	4	N	Y	N	Primary Key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Extension	NVarChar (10)	10	Y	N	N	Extension of file
MimeType	NVarChar (20)	20	Y	N	N	Mime type
FileSize	Int	4	Y	N	N	Size of file
ectosRevisionID	Int	4	Y	N	N	Links to ectosRevision table
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
UploadDate	DateTime	8	Y	N	N	Date of upload
Deleted	Int	4	Y	N	N	Flag to indicate if upload has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted upload. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosRTEP]: Table that contains information regarding ectos requests for task execution plans

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
--------	----------	------	----------	--------------	--------------	-------------

ectosRTEPID	Int	4	N	Y	N	Primary Key. AutoID
RTEPNumber	Int	4	Y	N	N	RTEP number
RTEPTitle	NVarChar (250)	250	Y	N	N	Title of RTEP
ectosStatusID	Int	4	Y	N	N	Status of RTEP. Links to ectosStatus table
RTEPDescription	NVarChar (1000)	1000	Y	N	N	Description of RTEP
TEPDueDate	DateTime	8	Y	N	N	TEP due date
ectosContractID	Int	4	Y	N	N	Links to ectosContract table
AwardDate	DateTime	8	Y	N	N	Date of Award
AwardAmount	Decimal (18,2)	9	Y	N	N	Amount of Award
COUserID	UniqueIdentifier	16	Y	N	N	UserID of contracting officer. Links to aspnet_Users table
CSUserID	UniqueIdentifier	16	Y	N	N	UserID of contracting specialis. Links to aspnet_Users table
CustomerUserID	UniqueIdentifier	16	Y	N	N	UserID of customer. Links to aspnet_Users table
COTRUserID	UniqueIdentifier	16	Y	N	N	UserID of the contracting officer technical representative. Links to aspnet_Users table
AltCOTRUserID	UniqueIdentifier	16	Y	N	N	UserID of the alternate contracting officer technical representative. Links to aspnet_Users table
ectosContractTypeID	Int	4	Y	N	N	Links to ectosContractType table
ectosCompetitiveProcedureID	Int	4	Y	N	N	Links to ectosCompetitiveProcedure table
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ table
ArchivedDate	DateTime	8	Y	N	N	Date archived
UpdatedDate	DateTime	8	Y	N	N	Date updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_users table
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Obligated Amount
RequiringActivityID	Int	4	Y	N	N	Links to AcqRequestRequiringActivity
MajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative table
ProptoCOTR	Date	3	Y	N	N	Date Proposal sent to contracting officer technical representative

[dbo].[ectosRTEPHistory]: Table that contains history information for ectos RTEPs

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
RTEPNumber	Int	4	Y	N	N	RTEP Number
RTEPTitle	NVarChar (250)	250	Y	N	N	RTEP Title
ectosStatusID	Int	4	Y	N	N	Links to ectosStatus table
RTEPDescription	NVarChar	1000	Y	N	N	Description of RTEP

	(1000)					
TEPDueDate	DateTime	8	Y	N	N	Due date of TEP
ectosContractID	Int	4	Y	N	N	Link to ectosContract table
AwardDate	DateTime	8	Y	N	N	Date of Award
AwardAmount	Decimal (18,2)	9	Y	N	N	Amount of Award
COUserID	UniqueIdentifier	16	Y	N	N	UserID of contracting officer. Links to aspnet_users table
CSUserID	UniqueIdentifier	16	Y	N	N	UserID of contracting specialist. Links to aspnet_users table
CustomerUserID	UniqueIdentifier	16	Y	N	N	UserID of customer. Links to aspnet_users table
COTRUserID	UniqueIdentifier	16	Y	N	N	UserID of contracting office technical representative. Links to aspnet_users table
AltCOTRUserID	UniqueIdentifier	16	Y	N	N	UserID of alternate contracting office technical representative. Links to aspnet_users table
ectosContractTypeID	Int	4	Y	N	N	Links to ectosContractType table
ectosCompetitiveProcedureID	Int	4	Y	N	N	Links to ectosCompetitiveProcedure table
ectosIDIQID	Int	4	Y	N	N	Links to ectosIDIQ
ArchivedDate	DateTime	8	Y	N	N	Date Archived
UpdatedDate	DateTime	8	Y	N	N	Date record updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated. Links to aspnet_users table
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Obligated Amount
RequiringActivityID	Int	4	Y	N	N	Links to AcqRequestRequiringActivity table
MajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative table
ProptoCOTR	Date	3	Y	N	N	Date Proposal sent to contracting officer technical representative

[dbo].[ectosRTEPTechEval]: Table that contains information regarding ectos RTEP Technical Evaluations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTechEvalID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
Comment	NVarChar (1000)	1000	Y	N	N	Comment
DueDate	DateTime	8	Y	N	N	Due Date
Status	Int	4	Y	N	N	Status
CreatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who created record. Links to aspnet_Users table
CreatedDate	DateTime	8	Y	N	N	Date of creation
Version	Int	4	Y	N	N	Version number
ApprovedDate	DateTime	8	Y	N	N	Date of Approval
ApprovedUserID	UniqueIdentifier	16	Y	N	N	UserID of approving user. Links to aspnet_Users table

Title	NVarChar (80)	80	Y	N	N	Title
-------	---------------	----	---	---	---	-------

[dbo].[ectosRTEPTechEvalUpload]: Table that contains uploaded documents regarding ectos RTEP Technical Evaluations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTechEvalUploadID	Int	4	N	Y	N	Primary Key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of File
Image	VarBinaryMax	-1	Y	N	N	Binary Image
Extension	NVarChar (10)	10	Y	N	N	File Extension
MimeType	NVarChar (20)	20	Y	N	N	Mime Type
FileSize	Int	4	Y	N	N	Size of File
ectosTechEvalID	Int	4	Y	N	N	Links to ectosTechEval table
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of uploading User. Links to aspnet_Users table
UploadDate	DateTime	8	Y	N	N	Date of Upload
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 0=No. 1=Yes.
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of User who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion

[dbo].[ectosRTEPTTEPCom]: Table that contains information regarding ectos request for task execution plans communications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPTTEPComID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPTTEPSubID	Int	4	Y	N	N	Links to ectosRTEPTTEPSub table
ComTitle	NVarChar (250)	250	Y	N	N	Title of communication
ComInformation	NVarChar (1000)	1000	Y	N	N	Information in communication
ComDateSubmitted	DateTime	8	Y	N	N	Date communication submitted
ComUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
ComDueDate	DateTime	8	Y	N	N	Response due date
ResponseTitle	NVarChar (250)	250	Y	N	N	Title of response
ResponseInformation	NVarChar (1000)	1000	Y	N	N	Information in response
ResponseDateSubmitted	DateTime	8	Y	N	N	Date response submitted
ResponseUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date record updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded file. Links to aspnet_users table
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes
DeletedDate	DateTime	8	Y	N	N	Date of deletion
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table

[dbo].[ectosRTEPTTEPComHistory]: Tables that contains history information for ectos RTEP TEP communications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
--------	----------	------	----------	--------------	--------------	-------------

ectosRTEPTEPComHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPTEPComID	Int	4	Y	N	N	Link to ectosRTEPTEPCom table
ectosRTEPTEPSubID	Int	4	Y	N	N	Links to ectosRTEPTEPSub table
ComTitle	NVarChar (250)	250	Y	N	N	Title of communication
ComInformation	NVarChar (1000)	1000	Y	N	N	Communication information
ComDateSubmitted	DateTime	8	Y	N	N	Date communication submitted
ComDueDate	DateTime	8	Y	N	N	Response due date
ComUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
ResponseTitle	NVarChar (250)	250	Y	N	N	Title of response
ResponseInformation	NVarChar (1000)	1000	Y	N	N	Response information
ResponseUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
ResponseDateSubmitted	DateTime	8	Y	N	N	Date response submitted
UpdatedDate	DateTime	8	Y	N	N	Date record updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes
DeletedDate	DateTime	8	Y	N	N	Date of deletion
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table

[dbo].[ectosRTEPTEPComUpload]: Table that contains uploads associated with ectos request for task execution plans and task execution plan communications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPTEPComUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPTEPComID	Int	4	Y	N	N	Links to ectosRTEPTEPCom table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary Image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file
MimeType	NChar (20)	20	Y	N	N	Mine type
UploadDate	DateTime	8	Y	N	N	Date of upload
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Flag to indicate if document has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who

						deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion
UploadType	Int	4	Y	N	N	Type of upload

[dbo].[ectosRTEPTEPSub]: Table that contains information regarding ectos request for task execution plans and task execution plan submissions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPTEPSubID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
ectosVendorID	NVarChar (50)	50	Y	N	N	Links to ectosVendor table
SubmitDate	DateTime	8	Y	N	N	Date of submission
Title	NVarChar (250)	250	Y	N	N	Title
Description	NVarChar (1000)	1000	Y	N	N	Description
UpdatedDate	DateTime	8	Y	N	N	Date of last update
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table

[dbo].[ectosRTEPTEPSubUpload]: Table that contains uploads associated with ectors requests for task execution plans and task execution plan submissions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPTEPSubUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPTEPSubID	Int	4	Y	N	N	Links to ectosRTEPTEPSub table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file
MimeType	NChar (20)	20	Y	N	N	Mime type
UploadDate	DateTime	8	Y	N	N	Date of upload
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Flag to indicate if document has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosRTEPUUpload]: Table that contains uploads associated with ectos request for task execution plans

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPUUploadID	Int	4	N	Y	N	Primary Key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Extension	NVarChar (10)	10	Y	N	N	Extension of file
MimeType	NVarChar (20)	20	Y	N	N	Mime type
Filesize	Int	4	Y	N	N	Size of file
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table

RTEPUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
RTEPUploadDate	DateTime	8	Y	N	N	Date of upload
Deleted	Int	4	Y	N	N	Flag to indicate if document had been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosRTEPVendor]: Table that contains information regarding vendors ectos request for task execution plans

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPVendorID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
UpdatedDate	DateTime	8	Y	N	N	Date updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table

[dbo].[ectosRTEPVendorHistory]: Table that contains history information about RTEP Vendors

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosRTEPVendorHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosRTEPVendorID	Int	4	Y	N	N	Links to ectosRTEPVendor table
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
ectosRTEPHistoryMaxID	Int	4	Y	N	N	Maximum primary key of ectosRTEP table. Links to ectosRTEP table
Deleted	Int	4	Y	N	N	Flag to indicate if record was deleted. 1 = Yes
UpdatedDate	DateTime	8	Y	N	N	Date record was updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table

[dbo].[ectosStatus]: Lookup table for ectos status

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosStatusID	Int	4	N	Y	N	Primary Key. AutoID
ectosStatus	NVarChar (50)	50	Y	N	N	Ectos status
ectosStatusSortOrder	Int	4	Y	N	N	Display order of ectos statuses

[dbo].[ectosTaskOrder]: Table that contains information regarding ectos task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderID	Int	4	N	Y	N	Primary Key. AutoID
ectosContractID	Int	4	N	N	N	Links to ectosContract table
TaskOrderNumber	NVarChar (50)	50	Y	N	N	Task order number
Title	NVarChar (250)	250	Y	N	N	Title of task order
Description	NVarChar (1000)	1000	Y	N	N	Description of task order

ectosTaskOrderStatusID	Int	4	Y	N	N	Links to ectosTaskOrder table
AwardDate	DateTime	8	Y	N	N	Date of award
AwardAmount	Decimal (18,2)	9	Y	N	N	Amount of award
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
Deleted	Int	4	Y	N	N	Flag to indicate if recors was deleted. 1 = Yes
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted record. Links to aspnet_users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion
UpdatedDate	DateTime	8	Y	N	N	Date updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Obligated Amount
RequiringActivityID	Int	4	Y	N	N	Links to AcqRequestRequiringActivity table
COTRUserID	UniqueIdentifier	16	Y	N	N	UserID of contracting officer technical representative. Links to aspnet_Users table
AltCOTRUserID	UniqueIdentifier	16	Y	N	N	UserID of alternate contracting officer technical representative. Links to aspnet_Users table
BudgetUserID	UniqueIdentifier	16	Y	N	N	Budget UserID. Links to aspnet_Users table
PMUserID	UniqueIdentifier	16	Y	N	N	UserID of PM. Links to aspnet_Users table
MajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative table
ExpirationDate	DateTime	8	Y	N	N	Expiration Date
OptionYears	Int	4	Y	N	N	Number of Option Years

[dbo].[ectosTaskOrderHistory]: Table that contains information about the history of task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderID	Int	4	Y	N	N	Links to ectosTaskOrder table
ectosContractID	Int	4	Y	N	N	Links to ectos Contract table
TaskOrderNumber	NVarChar (50)	50	Y	N	N	Task order number
Title	NVarChar (250)	250	Y	N	N	Title of task order
Description	NVarChar (1000)	1000	Y	N	N	Description of task order
ectosTaskOrderStatusID	Int	4	Y	N	N	Links to ectosTaskOrderStatus
AwardDate	DateTime	8	Y	N	N	Date of Award
AwardAmount	Decimal (18,2)	9	Y	N	N	Amount of Award
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
Deleted	Int	4	Y	N	N	Flag to indicate if record was deleted. 1 = Yes
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted record. Links to

						aspnet_users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document
UpdatedDate	DateTime	8	Y	N	N	Date of upload
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Obligated Amount
RequiringActivityID	Int	4	Y	N	N	Links to AcqRequiringActivity table
MajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative table
COTRUserID	UniqueIdentifier	16	Y	N	N	UserID of contracting officer technical representative. Links to aspnet_Users table
AltCOTRUserID	UniqueIdentifier	16	Y	N	N	UserID of alternate contracting officer technical representative. Links to aspnet_Users table
BudgetUserID	UniqueIdentifier	16	Y	N	N	Budget UserID. Links to aspnet_Users table
PMUserID	UniqueIdentifier	16	Y	N	N	UserID of PM. Links to aspnet_Users table
ExpirationDate	DateTime	8	Y	N	N	Expiration Date
OptionYears	Int	4	Y	N	N	Number of Option Years

[dbo].[ectosTaskOrderMod]: Table that contains information regarding modifications to task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderModID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderID	Int	4	Y	N	N	Links to ectosTaskOrder table
ModNumber	NVarChar (50)	50	Y	N	N	Modification number
ModTitle	NVarChar (250)	250	Y	N	N	Title of modification
ModDescription	NVarChar (1000)	1000	Y	N	N	Description of modification
ModAwardDate	Date	3	Y	N	N	Modification award date
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Obligated Amount
AwardAmount	Decimal (18,2)	9	Y	N	N	Award Amount
UpdatedDate	DateTime	8	Y	N	N	Date updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table
ExpirationDate	DateTime	8	Y	N	N	Expiration Date
OptionYears	Int	4	Y	N	N	Number of Option Years
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes
DeletedDate	DateTime	8	Y	N	N	Date of deletion
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table

[dbo].[ectosTaskOrderModHistory]: Table that contains history information for task order modifications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderModHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderModID	Int	4	Y	N	N	Links to ectosTaskOrderMod

						table
ectosTaskOrderID	Int	4	Y	N	N	Links to ectosTaskOrder table
ModNumber	NChar (50)	50	Y	N	N	Modification number
ModTitle	NChar (250)	250	Y	N	N	Title of modification
ModDescription	NVarChar (1000)	1000	Y	N	N	Description of modification
ModAwardDate	Date	3	Y	N	N	Award date of modification
ObligatedAmount	Decimal (18,2)	9	Y	N	N	Obligated Amount
AwardAmount	Decimal (18,2)	9	Y	N	N	Award Amount
UpdatedDate	DateTime	8	Y	N	N	Date record updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table
ExpirationDate	DateTime	8	Y	N	N	Expiration Date
OptionYears	Int	4	Y	N	N	Number of Option Years

[dbo].[ectosTaskOrderModUpload]: Table that contains uploads associated with modifications to task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderModUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderModID	Int	4	N	N	N	Links to ectosTaskOrderMod table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file
MimeType	NChar (20)	20	Y	N	N	Mime type
TaskOrderModUploadDate	DateTime	8	Y	N	N	Date of Upload
TaskOrderModUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document
TaskOrderModUploadType	Int	4	Y	N	N	Upload type
Deleted	Int	4	Y	N	N	Flag to indicate
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosTaskOrderReport]: Table containing information regarding task order reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderReportID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderID	Int	4	Y	N	N	Links to ectosTaskOrder table
ectosContractID	Int	4	Y	N	N	Links to ectosContract table
ReportName	NVarChar (250)	250	Y	N	N	Name of report
ectosTaskOrderReportTypeID	Int	4	Y	N	N	Links to ectosTaskOrderReportName table
ectosTaskOrderReportNameID	Int	4	Y	N	N	Links to ectosTaskOrderReportName
DateSubmitted	DateTime	8	Y	N	N	Date of Submission
FiscalYear	NChar (4)	4	Y	N	N	Fiscal Year
TotalObligatedDollars	Decimal (18,2)	9	Y	N	N	Total Obligated Dollars

PrimeParticipationDollars	Decimal (18,2)	9	Y	N	N	Prime Participation Dollars
UserID	UniqueIdentifier	16	Y	N	N	UserID. UserID of user who deleted document. Links to aspnet_Users table
Frequency	Int	4	Y	N	N	Frequency
Accepted	Int	4	Y	N	N	Flag to indicate accepted. 1 = Yes
ReviewerUserID	UniqueIdentifier	16	Y	N	N	UserID of Reviewer. Links to aspnet_Users table
Comment	NVarChar (1000)	1000	Y	N	N	Comment
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date of last update
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes
DeletedDate	DateTime	8	Y	N	N	Date of deletion
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table

[dbo].[ectosTaskOrderReportName]: Lookup table that contains names of reports for task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderReportNameID	Int	4	N	Y	N	Primary Key. AutoID
TaskOrderReportName	NVarChar (250)	250	Y	N	N	Name of task order report
SortOrder	Int	4	Y	N	N	Sort Order

[dbo].[ectosTaskOrderReportSubcontracting]: Table that contains information regarding ectos Task Order Report Subcontracting

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderReportSubcontractingID	Int	4	N	Y	N	Primary Key. AutoID
BusinessTypeParticipationID	Int	4	Y	N	N	Links to BusinessTypeParticipation
ectosTaskOrderReportID	Int	4	Y	N	N	Links to ectosTaskOrderReport
AwardPercentage	Int	4	Y	N	N	Percentage of Award

[dbo].[ectosTaskOrderReportType]: Lookup table that contains types of task order reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderReportTypeID	Int	4	N	Y	N	Primary Key. AutoID
TaskOrderReportType	NVarChar (50)	50	Y	N	N	Task order report type name

[dbo].[ectosTaskOrderReportUpload]: Table that contains uploads associated with reports on task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderReportUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderReportID	Int	4	N	N	N	Links to ectosTaskOrderReport
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file

MimeType	NChar (20)	20	Y	N	N	Mime type
TaskOrderReportUploadDate	DateTime	8	Y	N	N	Date of report
TaskOrderReportUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
TaskOrderReportUploadType	Int	4	Y	N	N	Type of report
Deleted	Int	4	Y	N	N	Flag to indicate if the document has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosTaskOrderStatus]: Lookup table that contains task order statuses

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderStatusID	Int	4	N	Y	N	Primary Key. AutoID
TaskOrderStatus	NChar (10)	10	Y	N	N	Status name

[dbo].[ectosTaskOrderTEP]: Table that contains information associated with task execution plans for task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderTEPID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderID	Int	4	Y	N	N	Link to ectosTaskOrder table
Title	NVarChar (250)	250	Y	N	N	Title
DateSubmitted	DateTime	8	Y	N	N	Date of submission
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date of last update
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosTaskOrderTEPCom]: Table that contains information regarding task order task execution plan communications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderTEPComID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderID	Int	4	Y	N	N	Links to ectosTaskOrder table
ComTitle	NVarChar (250)	250	Y	N	N	Title of communication
ComInformation	NVarChar (500)	500	Y	N	N	Information in communication
ComDateSubmitted	DateTime	8	Y	N	N	Date communication submitted
ComDueDate	DateTime	8	Y	N	N	Response due date
ComUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
ResponseTitle	NVarChar (250)	250	Y	N	N	Title of response
ResponseInformation	NVarChar (500)	500	Y	N	N	Information in response

ResponseDateSubmitted	DateTime	8	Y	N	N	Date response submitted
ResponseUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes
DeletedDate	DateTime	8	Y	N	N	Date of deletion
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table

[dbo].[ectosTaskOrderTEPComUpload]: Table that contains uploads associated with ectos tack order task execution plan communications

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderTEPComUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderTEPComID	Int	4	N	N	N	Links to TaskOrderTEPCom table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file
MimeType	NChar (20)	20	Y	N	N	Mime type
TaskOrderTEPComUploadDate	DateTime	8	Y	N	N	Date document was uploaded
TaskOrderTEPComUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
TaskOrderTEPComUploadType	Int	4	Y	N	N	Type of upload
Deleted	Int	4	Y	N	N	Flag to indicate if the document has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosTaskOrderTEPUUpload]: Table that contains uploads associated with ectos task order task execution plans

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderTEPUUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderTEPID	Int	4	N	N	N	Links to ectosTaskOrderTEP table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file
MimeType	NChar (20)	20	Y	N	N	Mime type
TaskOrderTEPUUploadDate	DateTime	8	Y	N	N	Date of upload
TaskOrderTEPUUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document.

						Links to aspnet_Users table
TaskOrderTEPUploadType	Int	4	Y	N	N	Type of upload
Deleted	Int	4	Y	N	N	Flag to indicate if the document has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosTaskOrderUpload]: Table that contains uploads associated with task orders

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTaskOrderUploadID	Int	4	N	Y	N	Primary Key. AutoID
ectosTaskOrderID	Int	4	N	N	N	Links to ectosTaskOrder table
Filename	NVarChar (100)	100	Y	N	N	Name of file
Image	VarBinaryMax	-1	Y	N	N	Binary image
Filesize	Int	4	Y	N	N	Size of file
Extension	NChar (20)	20	Y	N	N	Extension of file
MimeType	NChar (20)	20	Y	N	N	Mime type
TaskOrderUploadDate	DateTime	8	Y	N	N	Date of upload
TaskOrderUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
TaskOrderUploadType	Int	4	Y	N	N	Type of upload
Deleted	Int	4	Y	N	N	Flag to indicate if the document has been deleted
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[ectosTechEvalUsers]: Table that contains information regarding users for technical evaluations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosTechEvalUsersID	Int	4	N	N	N	Primary Key. AutoID
ectosRTEPID	Int	4	Y	N	N	Links to ectosRTEP table
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table

[dbo].[ectosVendor]: Table that contains information regarding ectos vendors

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosVendorID	Int	4	N	Y	N	Primary Key. AutoID
ectosIDIQID	NVarChar (50)	50	Y	N	N	Links to ectosIDIQ table
PhoneNumber	NVarChar (50)	50	Y	N	N	Phone number
FaxNumber	NVarChar (50)	50	Y	N	N	Fax number
Address	NVarChar (255)	255	Y	N	N	Address
City	NVarChar (100)	100	Y	N	N	City
StateID	Int	4	Y	N	N	Links to State table
ZipCode	NVarChar (50)	50	Y	N	N	Zip code
CompanyName	NVarChar (255)	255	Y	N	N	Name of company
DeptOrgName	NVarChar (255)	255	Y	N	N	Department organization name
Division	NVarChar (255)	255	Y	N	N	Division
BusinessTypeID	Int	4	Y	N	N	Links to BusinessType table

CCRCageCode	NVarChar (5)	5	Y	N	N	CCR cage code
DUNSNumber	NVarChar (50)	50	Y	N	N	DUNS number
UpdatedDate	DateTime	8	Y	N	N	Date record last updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table

[dbo].[ectosVendorBusinessType]: Table that links ectos vendors and business types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosVendorBusinessTypeID	Int	4	N	Y	N	Primary Key. AutoID
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
BusinessTypeID	Int	4	Y	N	N	Link to BusinessType table
UpdatedDate	DateTime	8	Y	N	N	Date record updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table

[dbo].[ectosVendorBusinessTypeHistory]: Table that contains history information of ectos vendors and business types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosVendorBusinessTypeHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosVendorBusinessTypeID	Money	8	Y	N	N	Links to ectosVendorBusinessType table
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
BusinessTypeID	Int	4	Y	N	N	Links to BusinessType table
ectosVendorHistoryMaxID	Int	4	Y	N	N	Maximum Primary key of ectosVendor table
Deleted	Int	4	Y	N	N	Flag to indicate if records was deleted. 1 = Yes
UpdatedDate	DateTime	8	Y	N	N	Date record updated
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table

[dbo].[ectosVendorHistory]: Table that contains history information for ectos vendors

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosVendorHistoryID	Int	4	N	Y	N	Primary Key. AutoID
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor tables
ectosIDIQID	NVarChar (50)	50	Y	N	N	Links to ectosIDIQ table
PhoneNumber	NVarChar (50)	50	Y	N	N	Phone number
FaxNumber	NVarChar (50)	50	Y	N	N	Fax number
Address	NVarChar (255)	255	Y	N	N	Address
City	NVarChar (100)	100	Y	N	N	City
StateID	Int	4	Y	N	N	Links to State table
ZipCode	NVarChar (50)	50	Y	N	N	Zip code
CompanyName	NVarChar (255)	255	Y	N	N	Name of company
DeptOrgName	NVarChar (255)	255	Y	N	N	Name of department or organization
Division	NVarChar (255)	255	Y	N	N	Division
BusinessTypeID	Int	4	Y	N	N	Links to BusinessType table

CCRCageCode	NVarChar (5)	5	Y	N	N	CCR Cage Code
DUNSNumber	NChar (50)	50	Y	N	N	DUNS number
UpdatedDate	DateTime	8	Y	N	N	Date record was updated.
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who updated record. Links to aspnet_users table

[dbo].[ectosVendorPermissions]: Table that contains permissions for ectos vendors

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosVendorPermissionsID	Int	4	N	Y	N	Primary Key. AutoID
ectosVendorID	Int	4	Y	N	N	Links to ectosVendor table
ectosVendorPermissionsTypeID	Int	4	Y	N	N	Links to ectosVendorPermissionsType table
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table

[dbo].[ectosVendorPermissionsType]: Lookup table for types of vendor permissions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ectosVendorPermissionsTypeID	Int	4	N	Y	N	Primary Key. AutoID
VendorPermissionsType	NVarChar (50)	50	Y	N	N	Type name

[dbo].[EmailTemplate]: Templates for emails sent by application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
EmailTemplateID	Int	4	N	Y	N	Primary key. AutoID
EmailTemplateName	NVarChar (50)	50	Y	N	N	Name of Email Template
EmailSubject	NVarChar (500)	500	Y	N	N	Subject of Email
EmailBody	NVarChar (2000)	2000	Y	N	N	Body of Email

[dbo].[FAQ]: Frequently Asked Questions and Question and Answers for application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
FAQID	Int	4	N	Y	N	Primary key. AutoID
Question	NVarChar (1000)	1000	Y	N	N	Question Asked
Answer	NVarChar (1000)	1000	Y	N	N	Answer to Question
Email	NVarChar (100)	100	Y	N	N	Email Address of Question Supplier
FAQ	Bit	1	Y	N	N	True = FAQ
QA	Bit	1	Y	N	N	True = QA
PublishFlag	Bit	1	Y	N	N	True = published, false = not published for public view

[dbo].[IdeaApplication]: Supplied Idea Information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaApplicationID	Int	4	N	Y	N	Primary key. AutoID
UserID	UniqueIdentifier	16	N	N	N	Links to aspnet_Users table
Title	NVarChar (250)	250	Y	N	N	Title of Idea
PeriodofPerformance	NVarChar (100)	100	Y	N	N	How long the idea will take to implement
ROMTitle	NVarChar (50)	50	Y	N	N	Title of Rough Order of Magnitude
IdeaChallengeID	Int	4	Y	N	N	Links to Idea Challenge table
IdeaOutreachID	Int	4	Y	N	N	Links to IdeaOutreach Table

SaveDate	DateTime	8	N	N	N	Date of last Idea Save
SubmitDate	DateTime	8	Y	N	N	Date of Idea Submission
Submitted	Int	4	N	N	N	1=Submitted
SolicitationNumber	NVarChar (100)	100	Y	N	N	Solicitation Number
IdeaStrengthId	Int	4	Y	N	N	Links to IdeaStrength table

[dbo].[IdeaAudit]: Audits of ideas

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaAuditId	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationId	Int	4	N	N	N	Links to IdeaApplication table
IdeaAuditActionId	Int	4	N	N	N	Links to IdeaAuditAction table
AffectedUserId	UniqueIdentifier	16	Y	N	N	UserID of affected User. Links to aspnet_Users table
ActionUserId	UniqueIdentifier	16	N	N	N	User ID of person taking audit action. Links to aspnet_Users table
ActionDateTime	DateTime	8	N	N	N	Date and Time Audit Action was taken

[dbo].[IdeaAuditAction]: Lookup table for Audit Actions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaAuditActionId	Int	4	N	Y	N	Primary key. AutoID
ActionName	NVarChar (250)	250	Y	N	N	Name of Idea Audit Action

[dbo].[IdeaChallenge]: Lookup table for Idea Challenges

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaChallengeId	Int	4	N	Y	N	Primary key. AutoID
Challenge	NVarChar (200)	200	Y	N	N	Name of Idea Challenge
ChallengeOrder	Int	4	Y	N	N	Order in which Idea Challenges are to be displayed
Status	Int	4	N	N	N	Status to indicate if challenge is active. Active = 1. Inactive = 0.

[dbo].[IdeaComments]: Comments submitted for ideas

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaCommentsID	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationID	Int	4	Y	N	N	Links to IdeaApplication table
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
Phase	Int	4	Y	N	N	1 = Phase1, 2 = Phase 2
CommentType	Int	4	Y	N	N	Type of Comment
Comments	NVarCharMax	-1	Y	N	N	Text of Comments
ReviewStatus	Int	4	Y	N	N	0 = Not Started, 1 = Saved, 2 = Submitted
ReviewStatusDate	DateTime	8	Y	N	N	Date of Review
FeasibilityCompleteness	NVarChar (1000)	1000	Y	N	N	Feasibility Completeness
FeasibilityRelevance	NVarChar (1000)	1000	Y	N	N	Feasibility Relevance
CompatibilityCompleteness	NVarChar (1000)	1000	Y	N	N	Compatibility Completeness
CompatibilityRelevance	NVarChar (1000)	1000	Y	N	N	Compatibility Relevance

ApprovalRecommendation	Int	4	Y	N	N	0 = nothing selected, 1 = No, 2 = Yes
------------------------	-----	---	---	---	---	---------------------------------------

[dbo].[IdeaOutreach]: Lookup table for listing of Idea Outreaches

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaOutreachId	Int	4	N	Y	N	Primary key. AutoID
Outreach	NVarChar (200)	200	Y	N	N	Name of Idea Outreach
OutreachOrder	Int	4	Y	N	N	Order in which Idea Outreaches are to be displayed

[dbo].[IdeaPresentationCalendar]: Dates and times of Idea Presentations per Idea

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaPresentationCalendarID	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationID	Int	4	Y	N	N	Links to IdeaApplication table
Subject	NVarChar (500)	500	Y	N	N	Subject of Presentation
Start	DateTime	8	Y	N	N	Start date and time of Presentation
End	DateTime	8	Y	N	N	End date and time of Presentation

[dbo].[IdeaReader]: Links Readers to assigned ideas

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaReaderID	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationID	Int	4	Y	N	N	Links to IdeaApplication table
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table

[dbo].[IdeaReviewer]: Links Reviewers to assigned Ideas

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaReviewerID	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationID	Int	4	Y	N	N	Links to IdeaApplication table
UserID	UniqueIdentifier	16	Y	N	N	UserID of Reviewer. Links to aspnet_Users table
Active	Int	4	Y	N	N	1 = Active
CommentType	Int	4	Y	N	N	Links to CommentType table
AssignerUserId	UniqueIdentifier	16	Y	N	N	UserID of person who assigned the reviewer if applicable. Links to aspnet_Users table

[dbo].[IdeaReviewerType]: Lookup table for types of reviewers

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaReviewerTypeID	Int	4	N	Y	N	Primary key. AutoID
ReviewerTypeTitle	NVarChar (50)	50	Y	N	N	Title of ReviewerType
OrderBy	Int	4	Y	N	N	Determines the display order of Reviewer Types

[dbo].[IdeaReviewStatus]: Contains information when an Idea has an idea Status change

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaReviewStatusID	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationID	Int	4	Y	N	N	Links to IdeaApplication table

IdeaStatusID	Int	4	Y	N	N	Links to IdeaStatus table
IdeaReviewStatusDate	DateTime	8	Y	N	N	Date of Idea Review Status

[dbo].[IdeaReviewUpload]: Contains Uploads of various types in support of Ideas

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaReviewUploadID	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationID	Int	4	Y	N	N	Links to IdeaApplication table
Phase	Int	4	Y	N	N	1 = Phase1, 2 = Phase2
Filename	NVarChar (100)	100	Y	N	N	Name of Upload File
Title	NVarChar (200)	200	Y	N	N	Title of file entered by user
Description	NVarChar (500)	500	Y	N	N	Description of Upload File
Image	VarBinaryMax	-1	Y	N	N	Binary image of Upload is stored
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (150)	150	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
IdeaReviewUploadDate	DateTime	8	Y	N	N	Date of Upload
IdeaReviewUploadUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
IdeaReviewUploadType	Int	4	Y	N	N	Type of Idea Review Upload
Deleted	Int	4	Y	N	N	Deleted flag
DeletedUserID	UniqueIdentifier	16	Y	N	N	User who Deleted file. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion
CommentType	Int	4	N	N	N	Links to CommentType table

[dbo].[IdeaStatus]: Lookup table for Idea Status

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaStatusId	Int	4	N	Y	N	Primary key. AutoID
IdeaStatusName	NVarChar (50)	50	N	N	N	Name of Idea Status
SupplierView	Int	4	Y	N	N	Indicates if status is viewable to supplier side of application

[dbo].[IdeaStrength]: Look up table for names of idea strengths

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaStrengthId	Int	4	N	Y	N	Primary key. AutoID
StrengthName	NVarChar (50)	50	N	N	N	Idea Strength Name

[dbo].[IdeaUpload]: Contains binary images of uploaded documents in support of an idea application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
IdeaUploadID	Int	4	N	Y	N	Primary key. AutoID
IdeaApplicationID	Int	4	Y	N	N	Links to IdeaApplication table
Filename	NVarChar (100)	100	Y	N	N	Name of Upload File
Title	NVarChar (200)	200	Y	N	N	Title of file entered by user
Description	NVarChar (500)	500	Y	N	N	Description of Upload File
Image	VarBinaryMax	-1	Y	N	N	Binary image of Upload
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
IdeaUploadDate	DateTime	8	Y	N	N	Date of Upload
IdeaUploadUserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table

IdeaUploadType	Int	4	Y	N	N	Type of Upload.
Deleted	Int	4	Y	N	N	Deleted flag
DeletedUserID	UniqueIdentifier	16	Y	N	N	User who Deleted file. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion

[dbo].[InnovationAction]: Table that contains information regarding innovation actions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationActionID	Int	4	N	Y	N	Primary Key. AutoID
InnovationApplicationID	Int	4	Y	N	N	Links to InnovationApplication table
InnovationTopicID	Int	4	Y	N	N	Links to InnovationTopic
ResubmitEndDate	DateTime	8	Y	N	N	Resubmit End Date
EmailSentToCODate	DateTime	8	Y	N	N	Date and Time email sent to contracting officer
ReturnEmailSentDate	DateTime	8	Y	N	N	Date and Time contracting officer email sent
Resubmitted	Int	4	Y	N	N	Flag to indicate resubmission

[dbo].[InnovationApplication]: Supplied Innovation Information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationApplicationID	Int	4	N	Y	N	Primary key. AutoID
UserID	UniqueIdentifier	16	N	N	N	Links to aspnet_Users table
Title	NVarChar (250)	250	Y	N	N	Title of Innovation
NumberOfMonths	Int	4	Y	N	N	How long the Innovation will take to implement
Cost	Decimal (18,2)	9	Y	N	N	Title of Rough Order of Magnitude
InnovationTopicID	Int	4	Y	N	N	Links to InnovationTopic table
SaveDate	DateTime	8	N	N	N	Date of last Innovation Save
SubmitDate	DateTime	8	Y	N	N	Date of Innovation Submission
Submitted	Int	4	N	N	N	1=Submitted
SolicitationNumber	NVarChar (100)	100	Y	N	N	Solicitation Number
InnovationStrengthId	Int	4	Y	N	N	Links to InnovationStrength table
CostPhase2	Decimal (18,2)	9	Y	N	N	Cost of Phase 2
NumberOfMonthsPhase2	Int	4	Y	N	N	Number of Months Phase 2
PreReview	Int	4	Y	N	N	Flag to indicate pre-review. 1 = Yes

[dbo].[InnovationApprovalReason]: Table that contains information regarding reason for approval

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationApprovalReasonID	Int	4	N	Y	N	Primary Key. AutoID
Reason	NChar (50)	50	Y	N	N	Approval Reason

[dbo].[InnovationAudit]: Audits of Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationAuditId	Int	4	N	Y	N	Primary key. AutoID
InnovationApplicationId	Int	4	N	N	N	Links to InnovationApplication table
InnovationAuditActionId	Int	4	N	N	N	Links to InnovationAuditAction table

AffectedUserId	UniqueIdentifier	16	Y	N	N	UserID of affected User. Links to aspnet_Users table
ActionUserId	UniqueIdentifier	16	N	N	N	User ID of person taking audit action. Links to aspnet_Users table
ActionDateTime	DateTime	8	N	N	N	Date and Time Audit Action was taken

[dbo].[InnovationAuditAction]: Lookup table for Audit Actions

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationAuditActionId	Int	4	N	Y	N	Primary key. AutoID
ActionName	NVarChar (250)	250	Y	N	N	Name of Innovation Audit Action

[dbo].[InnovationComments]: Comments submitted for Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationCommentsID	Int	4	N	Y	N	Primary key. AutoID
InnovationApplicationID	Int	4	Y	N	N	Links to InnovationApplication table
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
Phase	Int	4	Y	N	N	1 = Phase1, 2 = Phase 2
CommentTypeID	Int	4	Y	N	N	Type of Comment
Comments	NVarChar (1000)	1000	Y	N	N	Text of Comments
ReviewStatus	Int	4	Y	N	N	0 = Not Started, 1 = Saved, 2 = Submitted
ReviewStatusDate	DateTime	8	Y	N	N	Date of Review
CapabilitiesRational	NVarChar (1000)	1000	Y	N	N	Feasibility Completeness
CapabilitiesScore	Int	4	Y	N	N	Compatibilities Score
DesignRational	NVarChar (1000)	1000	Y	N	N	Feasibility Relevance
DesignScore	Int	4	Y	N	N	Design Score
ScalabilityRational	NVarChar (1000)	1000	Y	N	N	Compatibility Completeness
ScalabilityScore	Int	4	Y	N	N	Scalability Score
ImpactRational	NVarChar (1000)	1000	Y	N	N	Compatibility Relevance
ImpactScore	Int	4	Y	N	N	0 = nothing selected, 1 = No, 2 = Yes
PlanRational	NVarChar (1000)	1000	Y	N	N	Plan Rational
PlanScore	Int	4	Y	N	N	Plan Score
CommentsRational	NVarChar (1000)	1000	Y	N	N	Comments Rational
ApprovalRecommendation	Int	4	Y	N	N	0 = nothing selected, 1 = No, 2 = Yes
InnovationApprovalReasonID	Int	4	Y	N	N	Links to InnovationApprovalReason table

[dbo].[InnovationCommentType]: Table that contains information regarding Innovation Comment Types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationCommentTypeID	Int	4	N	Y	N	Primary Key. AutoID
CommentTypeID	Int	4	Y	N	N	CommentTypeID. Does not link to another table. This column is used to support legacy code
Name	NChar (50)	50	Y	N	N	Innovation Comment Type Name

[dbo].[InnovationDashboardColumns]: Table that contains information regarding columns on the innovation dashboard

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationDashboardColumnsID	Int	4	N	Y	N	Primary Key. AutoID
ColumnName	NVarChar (50)	50	Y	N	N	Column Name
ColumnDisplayName	NVarChar (50)	50	Y	N	N	Column Display Name

[dbo].[InnovationDashboardUserList]: Table that contains information regarding users of the innovation dashboard

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationDashboardUserListID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
InnovationDashboardColumnsID	Int	4	Y	N	N	Links to InnovationDashboardColumns table

[dbo].[InnovationEmailTemplate]: Templates for emails sent by application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationEmailTemplateID	Int	4	N	Y	N	Primary key. AutoID
InnovationEmailTemplateName	NVarChar (50)	50	Y	N	N	Name of Email Template
EmailSubject	NVarChar (500)	500	Y	N	N	Subject of Email
EmailBody	NVarCharMax	-1	Y	N	N	Body of Email

[dbo].[InnovationReader]: Links Readers to assigned Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationReaderID	Int	4	N	Y	N	Primary key. AutoID
InnovationApplicationID	Int	4	Y	N	N	Links to InnovationApplication table
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table

[dbo].[InnovationReviewer]: Links Reviewers to assigned Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationReviewerID	Int	4	N	Y	N	Primary key. AutoID
InnovationApplicationID	Int	4	Y	N	N	Links to InnovationApplication table
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
Active	Int	4	Y	N	N	1 = Active
CommentTypeID	Int	4	Y	N	N	Links to CommentType table
AssignerUserId	UniqueIdentifier	16	Y	N	N	UserID of person who assigned the reviewer if applicable. Links to aspnet_Users table

[dbo].[InnovationReviewStatus]: Contains when an Innovation has an Innovation Status change

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationReviewStatusID	Int	4	N	Y	N	Primary key. AutoID
InnovationApplicationID	Int	4	Y	N	N	Links to InnovationApplication table
InnovationStatusID	Int	4	Y	N	N	Links to InnovationStatus table
InnovationReviewStatusDate	DateTime	8	Y	N	N	Date of Innovation Review Status

[dbo].[InnovationReviewUpload]: Contains Uploads of various types in support of Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationReviewUploadID	Int	4	N	Y	N	Primary key. AutoID
InnovationApplicationID	Int	4	Y	N	N	Links to InnovationApplication table
Phase	Int	4	Y	N	N	1 = Phase1, 2 = Phase2
Filename	NVarChar (100)	100	Y	N	N	Name of Upload File
Title	NVarChar (200)	200	Y	N	N	Title of file entered by user
Description	NVarChar (500)	500	Y	N	N	Description of Upload File
Image	VarBinaryMax	-1	Y	N	N	Binary image of Upload is stored
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (150)	150	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
InnovationReviewUploadDate	DateTime	8	Y	N	N	Date of Upload
InnovationReviewUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of Reviewer who uploaded document. Links to aspnet_Users table
InnovationReviewUploadType	Int	4	Y	N	N	Type of Innovation Review Upload
Deleted	Int	4	Y	N	N	Deleted flag
DeletedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who Deleted file. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion
CommentTypeID	Int	4	N	N	N	Links to CommentType table

[dbo].[InnovationStatus]: Lookup table for Innovation Status

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationStatusId	Int	4	N	Y	N	Primary key. AutoID
InnovationStatusName	NVarChar (50)	50	N	N	N	Name of Innovation Status
SupplierView	Int	4	Y	N	N	Indicates if status is viewable to supplier side of application

[dbo].[InnovationTopic]: Lookup table for Innovation Challenges

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationTopicID	Int	4	N	Y	N	Primary key. AutoID
Topic	NVarChar	200	Y	N	N	Name of Innovation

	(200)					Challenge
TopicOrder	Int	4	Y	N	N	Order in which Innovation Challenges are to be displayed
Status	Int	4	N	N	N	Status to indicate if challenge is active. Active = 1. Inactive = 0.
InnovationTopicFiscalYearID	Int	4	Y	N	N	Links to InnovationTopicFiscalYear table

[dbo].[InnovationTopicFiscalYear]: Table that contains information regarding Innovation Topic Fiscal Years

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationTopicFiscalYearID	Int	4	N	Y	N	Primary Key. AutoID
FiscalYear	NVarChar (50)	50	Y	N	N	Fiscal Year
StartDate	DateTime	8	Y	N	N	Fiscal Year Start Date
PISubmitEndDate	DateTime	8	Y	N	N	Phase 1 Submit End Date
PIISubmitEndDate	DateTime	8	Y	N	N	Phase 2 Submit End Date

[dbo].[InnovationUpload]: Contains binary images of uploaded documents in support of an Innovation application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationUploadID	Int	4	N	Y	N	Primary key. AutoID
InnovationApplicationID	Int	4	Y	N	N	Links to InnovationApplication table
Filename	NVarChar (100)	100	Y	N	N	Name of Upload File
Title	NVarChar (200)	200	Y	N	N	Title of file entered by user
Description	NVarChar (500)	500	Y	N	N	Description of Upload File
Image	VarBinaryMax	-1	Y	N	N	Binary image of Upload
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
InnovationUploadDate	DateTime	8	Y	N	N	Date of Upload
InnovationUploadUserID	UniqueIdentifier	16	Y	N	N	UserID of Innovation user who uploaded document. Links to aspnet_Users table
InnovationUploadType	Int	4	Y	N	N	Type of Upload.
Deleted	Int	4	Y	N	N	Deleted flag
DeletedUserID	UniqueIdentifier	16	Y	N	N	User who Deleted file. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of Deletion

[dbo].[InnovationUploadType]: Table that contains information regarding Innovation Upload Types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InnovationUploadTypeID	Int	4	N	Y	N	Primary Key. AutoID
InnovationUploadType	Int	4	Y	N	N	Innovation Upload Type
Name	NChar (50)	50	Y	N	N	Name

[dbo].[InternalInnovation]: Table that contains information regarding Internal Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InternalInnovationID	Int	4	N	Y	N	Primary Key. AutoID
InternalInnovationGroupID	Int	4	Y	N	N	Links to InternalInnovationGroup
ProjectName	NVarChar (255)	255	Y	N	N	Project Name
Facility	NVarChar (255)	255	Y	N	N	Facility
SubmitterUserId	UniqueIdentifier	16	Y	N	N	UserID of submitter.

						Links to aspnet_Users table
Problem	NVarChar (1000)	1000	Y	N	N	Problem
DescriptionIdea	NVarChar (1000)	1000	Y	N	N	Description of Idea
Goals	NVarChar (1000)	1000	Y	N	N	Goals
Metrics	NVarChar (1000)	1000	Y	N	N	Metrics
Impacts	NVarChar (1000)	1000	Y	N	N	Impacts
Technical	NVarChar (1000)	1000	Y	N	N	Technical
TeamEnvironment	NVarChar (1000)	1000	Y	N	N	Team Environment
Implementation	NVarChar (1000)	1000	Y	N	N	Implementation
Timeline	NVarChar (1000)	1000	Y	N	N	Timeline
BudgetNarrative	NVarChar (1000)	1000	Y	N	N	Budget Narrative
BudgetProposal	NVarChar (1000)	1000	Y	N	N	Budget Proposal
ChallengesRisks	NVarChar (1000)	1000	Y	N	N	Challenges and Risks
LastUpdated	DateTime	8	Y	N	N	Date and Time of Last Update
UserId	UniqueIdentifier	16	Y	N	N	UserID of Internal Innovation Submitter
InternalInnovationStatusID	Int	4	N	N	N	Links to InternalInnovationStatus table
InternalInnovationPanelID	Int	4	Y	N	N	Links to InternalInnovationPanel table
FacilitatorComment	NVarChar (1000)	1000	Y	N	N	Comments of Facilitator

[dbo].[InternalInnovationGroup]: Lookup table for Internal Innovations Group

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InternalInnovationGroupId	Int	4	N	Y	N	Primary Key. AutoID
InternalInnovationGroup	NVarChar (50)	50	N	N	N	Internal Innovation Group
Active	Int	4	N	N	N	Flag to indicate group active. 1 = Yes

[dbo].[InternalInnovationPanel]: Lookup table that contains Internal Innovation Panel information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InternalInnovationPanelID	Int	4	N	Y	N	Primary Key. AutoID
Panel	NVarChar (50)	50	N	N	N	Panel
Active	Int	4	N	N	N	Flag to indicate panel is active. 1 = Yes

[dbo].[InternalInnovationReview]: Table that contains information regarding Reviews of Internal Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InternalInnovationReviewID	Int	4	N	Y	N	Primary Key. AutoID
InternalInnovationID	Int	4	N	N	N	Links to InternalInnovation table
UserId	UniqueIdentifier	16	N	N	N	UserID of reviewer. Links to aspnet_Users table
LastUpdated	DateTime	8	N	N	N	Date and Time of last update
PatientCare	Int	4	N	N	N	Score of Patient Care. 0 - 3
Efficiency	Int	4	N	N	N	Score of Efficiency. 0 - 3
Impact	Int	4	N	N	N	Score of Impact. 0 - 3
UnmetNeed	Int	4	N	N	N	Score of UnmetNeed. 0 - 3
Requirement	Int	4	N	N	N	Score of Requirement. 0 - 3
Environment	Int	4	N	N	N	Score of Environment. 0 - 3
Innovators	Int	4	N	N	N	Score of Innovators. 0 - 3
Approach	Int	4	N	N	N	Score of Approach. 0 - 3
Comment	NVarChar (1000)	1000	Y	N	N	Comment
Abstained	Int	4	N	N	N	Flag to indicate abstained. 1 = Yes

[dbo].[InternalInnovationStatus]: Lookup table that contains Status information of Internal Innovations

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InternalInnovationStatusID	Int	4	N	Y	N	Primary Key. AutoID
Status	NVarChar (50)	50	N	N	N	Status

[dbo].[InternalInnovationUpload]: Contains binary images of uploaded documentation and other data about the document

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InternalInnovationUploadID	Int	4	N	Y	N	Primary key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of Uploaded File
Image	VarBinaryMax	-1	Y	N	N	Binary Image of file
Extension	NVarChar (10)	10	Y	N	N	Extension of uploaded file
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of uploaded file
FileSize	Int	4	Y	N	N	Filesize of uploaded file
UploadDate	DateTime	8	Y	N	N	Date and Time File was uploaded
UserId	UniqueIdentifier	16	Y	N	N	UserID who uploaded document. Links to aspnet_Users table
InternalInnovationID	Int	4	Y	N	N	Links to the InternalInnovation table
InternalInnovationUploadTypeID	Int	4	Y	N	N	Links to InternalInnovationUploadType table
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 1 = Yes

DeletedUserId	UniqueIdentifier	16	Y	N	N	UserID of user who deleted document. Links to aspnet_Users table
DeletedDate	DateTime	8	Y	N	N	Date of deletion

[dbo].[InternalInnovationUploadType]: Lookup table that contains Types if Internal Innovation Uploads

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
InternalInnovationUploadTypeID	Int	4	N	Y	N	Primary Key. AutoID
InternalInnovationUploadType	NVarChar (50)	50	N	N	N	Internal Innovation Upload Type

[dbo].[LinkCategories]: Contains categories of links to appear in left side navigation

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
CategoryID	Int	4	N	Y	N	Primary key. AutoID
NodeID	Int	4	N	N	N	ID which is passed in URL to group links
Title	NVarChar (250)	250	Y	N	N	Title of Link Category

[dbo].[Links]: Contains links and descriptive information for links that may appear in left side navigation

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
LinkID	Int	4	N	Y	N	Primary key. AutoID
NodeID	Int	4	Y	N	N	ID which is passed in URL to group links
URL	NVarChar (250)	250	Y	N	N	URL of link
Title	NVarChar (250)	250	Y	N	N	Title of Link
Description	NVarChar (1000)	1000	Y	N	N	Description of the Link
CategoryID	Int	4	Y	N	N	Links to LinksCategory table

[dbo].[MainTree]: Left side navigation for SIP. Supplier portion of application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
NodeID	Int	4	N	Y	N	Primary key. AutoID
NodeName	NVarChar (125)	125	Y	N	N	Name of Node
ParentID	Int	4	Y	N	N	ID of Parent Node
RootNodeID	Int	4	Y	N	N	ID of Root Node
NodeOrder	Int	4	Y	N	N	Order in which nodes are to be displayed
URL	NVarChar (150)	150	Y	N	N	URL used for navigation
ModuleTypeID	Int	4	Y	N	N	Links to the Module Type table
ModuleItemId	Int	4	Y	N	N	The record Id of the specific corresponding item. If module type is document then ModuleItemId will be a documentid. If moduletype is content page then the ModuleTypeId will be the NodeId of the content edit page on the control tree, etc.
Publish	Int	4	N	N	N	Flag to indicate if Node has been published to the public side of the application
Login	Int	4	Y	N	N	Flag to indicate if being logged in is required to see the node in the left side navigation
Role	Int	4	Y	N	N	Flag to indicate if being assigned to a role is required to see the node for left side navigation

[dbo].[MainTreeRole]: Table that links NodeID in the MainTree table to a RoleName

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MainTreeRoleID	Int	4	N	Y	N	Primary key. AutoID
MainTreeNodeID	Int	4	Y	N	N	Links to MainTree table NodeID
RoleName	NVarChar (256)	256	Y	N	N	Name of Role

[dbo].[MICategory]: Lookup table that contains information regarding MI Categories

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MICategoryID	Int	4	N	Y	N	Primary Key. AutoID
Category	NVarChar (50)	50	Y	N	N	Category
Orderby	Int	4	Y	N	N	Order of Category display
Disabled	Int	4	Y	N	N	Flag to indicate record disabled. 0=No. 1=Yes.

[dbo].[MIContractActionType]: Table that contains information regarding Major Initiative Contract Action Types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIContractActionTypeID	Int	4	N	Y	N	Primary Key, Auto-ID
ContractActionType	VarChar (50)	50	Y	N	N	Contract Action Type
OrderBy	Int	4	Y	N	N	Order of Category display
Disabled	Int	4	Y	N	N	Flag to indicate record disabled. 0=No. 1=Yes.

[dbo].[MIContractingOffice]: Lookup table that contains MI contracting office information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIContractingOfficeID	Int	4	N	Y	N	Primary Key. AutoID
ContractingOffice	NVarChar (50)	50	Y	N	N	Contracting Office
Orderby	Int	4	Y	N	N	Order of Category display
Disabled	Int	4	Y	N	N	Flag to indicate record disabled. 0=No. 1=Yes.
Abbr	NVarChar (25)	25	Y	N	N	Abbreviation
AcqRequestOffice	Int	4	Y	N	N	Links to AcqRequestOffice table
ARROHierarchy	Int	4	Y	N	N	ARRO Hierarchy
ContractingHierarchy	Int	4	Y	N	N	Contracting Hierarchy
GroupName	NVarChar (25)	25	Y	N	N	Group Name

[dbo].[MIHybridTypeOfFunding]: Table that contains information regarding types of funding for Major Initiative Hybrids

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIHybridTypeOfFundingID	Int	4	N	Y	N	Primary Key. AutoID.
MIMajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative table
MITypeoffundingID	Int	4	Y	N	N	Links to MITypeofFunding table
HybridDollarValue	Decimal (18,2)	9	Y	N	N	Hybrid Dollar Value

[dbo].[Milestone]: Table that contains information regarding Milestones

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MilestoneID	Int	4	N	Y	N	Primary Key. AutoID
ACTID	Int	4	Y	N	N	Link to ACT table

MIMajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative
AcqRequestID	Int	4	Y	N	N	Links to AcqRequest table
MilestoneTypeID	Int	4	Y	N	N	Links to MilestoneType table
MilestoneDate	DateTime	8	Y	N	N	Milestone date
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date updated
OptionalInternalVisible	Int	4	Y	N	N	Flag to indicate if optional internal is visible. 1=Yes
OptionalCustomerVisible	Int	4	Y	N	N	Flag to indicate if optional customer is visible. 1=Yes

[dbo].[MilestoneCategory]: Table that contains information regarding milestone categories

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MilestoneCategoryID	Int	4	N	Y	N	Primary Key. AutoID
MilestoneCategoryName	NVarChar (50)	50	Y	N	N	Milestone category Name
MilestoneCategoryDescription	NVarChar (250)	250	Y	N	N	Description of milestone category
OrderBy	Int	4	Y	N	N	Specifies display order
Disabled	Int	4	Y	N	N	Flag to indicate if the record is disabled. 1 = Yes.

[dbo].[MilestoneHistory]: Table that contains information regarding history of milestones

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MilestoneHistoryID	Int	4	N	Y	N	Primary Key. AutoID
MilestoneID	Int	4	Y	N	N	Links to Milestone table
ACTID	Int	4	Y	N	N	Links to ACT table
MIMajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative table
AcqRequestID	Int	4	Y	N	N	Links to AcqRequest table
MilestoneTypeID	Int	4	Y	N	N	Links to MilestoneType table
MilestoneDate	DateTime	8	Y	N	N	Milestone Date
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date Updated
OptionalInternalVisible	Int	4	Y	N	N	Flag to indicate if optional internal is visible. 1=Yes
OptionalCustomerVisible	Int	4	Y	N	N	Flag to indicate if optional customer is visible. 1=Yes

[dbo].[MilestoneRequirement]: Table that contains information regarding milestone requirements

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MilestoneRequirementID	Int	4	N	Y	N	Table that contains information regarding requirements for milestones
MilestoneRequirementName	NChar (50)	50	Y	N	N	Milestone Requirement Name
MilestoneRequirementDescription	NChar (250)	250	Y	N	N	Milestone Requirement Description

[dbo].[MilestoneType]: Table that contains information regarding milestone types

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MilestoneTypeID	Int	4	N	Y	N	Primary Key. AutoID
MilestoneTypeName	NVarChar (150)	150	Y	N	N	Milestone Type Name
MilestoneTypeDescription	NVarChar (500)	500	Y	N	N	Milestone Type Description
MilestoneCategoryID	Int	4	Y	N	N	Links to MilestoneCategory table
MilestoneRequirementID	Int	4	Y	N	N	Links to MilestoneRequirement table
MilestoneCustomerVisible	Int	4	Y	N	N	Flag to indicate if milestone is visible to the customer. 1 = Yes.
ARRO	Int	4	Y	N	N	Flag to indicate if milestone type is ARRO. 1 = Yes.
PAO	Int	4	Y	N	N	Flag to indicate if milestone type is PAO. 1 = Yes.
OrderBy	Int	4	Y	N	N	Specifies display order
Disabled	Int	4	Y	N	N	Flag to indicate if the record is disabled. 1 = Yes.
MajorInitiativeOnly	Int	4	Y	N	N	Flag to indicate if the record is Major Initiative only. 1 = Yes.
MilestoneTypeColumnID	Int	4	Y	N	N	Links to MilestoneTypeColumn table
ViewOnly	Int	4	Y	N	N	

[dbo].[MilestoneTypeColumn]: Table that contains information regarding milestone type columns

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MilestoneTypeColumnID	Int	4	N	Y	N	Primary Key. AutoID
ColumnName	NVarChar (50)	50	Y	N	N	Column Name

[dbo].[MIMajorInitiative]: Table that contains information regarding MI Major Initiatives

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIMajorInitiativeID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives
FiscalYear	Int	4	Y	N	N	Fiscal Year
RequirementID	Int	4	Y	N	N	Auto-incrementing number that is used to generate tracking number
MISourceID	Int	4	Y	N	N	Links to MI Source table
TitleOfAcquisition	NVarChar (250)	250	Y	N	N	Title of Acquisition
DescriptionOfSupplyOrService	NVarChar (1000)	1000	Y	N	N	Description of Supply or Service
MICategoryID	Int	4	Y	N	N	Links to MICategory table
MIContractActionTypeID	Int	4	Y	N	N	Links to MIContractActionType table
MIContractingOfficeID	Int	4	Y	N	N	Links to MIContractingOffice table
EstimatedDollarObligationFY11	Decimal (18,2)	9	Y	N	N	Estimated Dollar Obligations Fiscal Year

						11
EstimatedTotalValue	Decimal (18,2)	9	Y	N	N	Estimated Total Value
MITypeOfFundingID	Int	4	Y	N	N	Links to MITypeOfFunding table
MIOITFundingYearsID	Int	4	Y	N	N	MIOITFundingYears table
ITARSNumber	NVarChar (250)	250	Y	N	N	ITARS Number
SPINumber	NVarChar (250)	250	Y	N	N	SPI Number
ActualDollarObligation	Decimal (18,2)	9	Y	N	N	Actual Dollar Obligation
Comments	NVarChar (1000)	1000	Y	N	N	Comments
CreateUserID	UniqueIdentifier	16	Y	N	N	UserID of user who created MI Major Initiative. Links to aspnet_Users table
CreateDate	DateTime	8	Y	N	N	Date created
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date updated
CAPSubStatusID	Int	4	Y	N	N	Links to CAPStatus table
sufficientfundingreceived	Int	4	Y	N	N	Flag to indicate sufficient funding received. Links to aspnet_Users table
MITrackingNumber	NVarChar (25)	25	Y	N	N	MI Tracking Number
CAPStatusID	Int	4	Y	N	N	Links to CAPStatus table

[dbo].[MIMajorInitiativeCOContacts]: Primary Key. AutoID

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIMajorInitiativeCOContactsID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table
MIContractingOfficeID	Int	4	Y	N	N	Links to MIContractingOffice table

[dbo].[MIMajorInitiativeContacts]: Table that contains information regarding Contacts for Major Initiatives

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIMajorInitiativeContactsID	Int	4	N	Y	N	Primary Key. AutoID
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
MIMajorInitiativeContactTypeID	Int	4	Y	N	N	Links to MIMajorInitiativeContactType table

[dbo].[MIMajorInitiativeContactType]: Table that contains information regarding contacts for Major Initiatives

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIMajorInitiativeContactTypeID	Int	4	N	Y	N	Primary Key. AutoID
ContactType	NVarChar (50)	50	Y	N	N	Type of Contact

[dbo].[MIMajorInitiativeHistory]: Table that contains history information regarding MI Major Initiatives

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIMajorInitiativeHistoryID	Int	4	N	Y	N	Primary Key. AutoID
MIMajorInitiativeID	Int	4	Y	N	N	Links to MIMajorInitiative table
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table
FiscalYear	Int	4	Y	N	N	Fiscal Year
RequirementID	Int	4	Y	N	N	Auto-incrementing number that is used to generate tracking number
MISourceID	Int	4	Y	N	N	Links to MISource table
TitleOfAcquisition	NVarChar (250)	250	Y	N	N	Title of Acquisition
DescriptionOfSupplyOrService	NVarChar (1000)	1000	Y	N	N	Description of Supply or Service
MICategoryID	Int	4	Y	N	N	Links to MICategory table
MIContractActionTypeID	Int	4	Y	N	N	Links to MIContractActionType table
MIContractingOfficeID	Int	4	Y	N	N	Links to MIContractingOffice table
EstimatedDollarObligationFY11	Decimal (18,2)	9	Y	N	N	Estimated Dollar Obligation Fiscal Year 2011
EstimatedTotalValue	Decimal (18,2)	9	Y	N	N	Estimated Total Value
MITypeOfFundingID	Int	4	Y	N	N	Links to MITypeOfFunding table
MIOITFundingYearsID	Int	4	Y	N	N	Links to MOITFundingYears table
ITARSNumber	NVarChar (250)	250	Y	N	N	ITARS Number
SPINumber	NVarChar (250)	250	Y	N	N	SPI Number
PackageActionable	Date	3	Y	N	N	Date Package Actionable
ProposalsReceived	Date	3	Y	N	N	Date Proposals Received
ActualDollarObligation	Decimal (18,2)	9	Y	N	N	Actual Dollar Obligation
Comments	NVarChar (1000)	1000	Y	N	N	Comments
CreateUserID	UniqueIdentifier	16	Y	N	N	UserID of user who created record. Links to aspnet_Users table
CreateDate	DateTime	8	Y	N	N	Date created
UpdatedUserID	UniqueIdentifier	16	Y	N	N	UserID of user who last updated record. Links to aspnet_Users table
UpdatedDate	DateTime	8	Y	N	N	Date of last update
CAPSubStatusID	Int	4	Y	N	N	Links to CAPStatus table
sufficientfundingreceived	Int	4	Y	N	N	Flag to indicate if sufficient funding received. 1 = Yes
MITrackingNumber	NVarChar (25)	25	Y	N	N	MI Tracking Number
CAPStatusID	Int	4	Y	N	N	Links to CAPStatus table

[dbo].[MIOITFundingYears]: Lookup table that contains

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MIOITFundingYearsID	Int	4	N	Y	N	Primary Key. AutoID
FundingYears	NVarChar (50)	50	Y	N	N	Funding Years

[dbo].[MISource]: Lookup table that contains information regarding MI Sources

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MISourceID	Int	4	N	Y	N	Primary Key. AutoID
Source	NVarChar (50)	50	Y	N	N	Source

[dbo].[MITypeOfFunding]: Lookup table that contains information regarding MI Types of Funding

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
MITypeOfFundingID	Int	4	N	Y	N	Primary Key. AutoID
TypeOfFunding	NVarChar (50)	50	Y	N	N	Type of Funding
OrderBy	Int	4	Y	N	N	Order of Category display
Disabled	Int	4	Y	N	N	Flag to indicate record disabled. 0=No. 1=Yes.
Hybrid	Int	4	Y	N	N	

[dbo].[ModuleType]: Contains Modules that may appear in the left side tree

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ModuleTypeId	Int	4	N	Y	N	Primary key
ModuleName	NVarChar (255)	255	N	N	N	Name of Module
ModuleDescription	NVarChar (1000)	1000	Y	N	N	Description of Module
ModuleURL	NVarChar (255)	255	Y	N	N	Relative URL for linking
IsPublic	Int	4	N	N	N	Flag to indicate if module is public. 1 = Yes
ModuleTypeAuditID	Int	4	Y	N	N	Links to ModuleTypeAudit

[dbo].[PageLog]: Logs pages used by users

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PageLogId	Int	4	N	Y	N	Primary key. AutoID
UserId	UniqueIdentifier	16	N	N	N	Links to aspnet_Users table
ProxyId	UniqueIdentifier	16	Y	N	N	UserID of Proxy user. Links to aspnet_Users table
AccessTime	DateTime	8	N	N	N	Time of Page Access
FullURL	NVarChar (500)	500	N	N	N	Full URL of accessed page
PageName	NVarChar (500)	500	N	N	N	Name of page accessed
QueryString	NVarChar (500)	500	N	N	N	Querystring, if any, contained in URL
NodeId	Int	4	N	N	N	Links to Node table

[dbo].[Person]: Personal information per user

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonID	Int	4	N	Y	N	Primary key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
Prefix	NVarChar (10)	10	Y	N	N	Name Prefix
FirstName	NVarChar (50)	50	Y	N	N	First Name
MiddleName	NVarChar (50)	50	Y	N	N	Middle Name

LastName	NVarChar (50)	50	Y	N	N	Last Name
Title	NVarChar (255)	255	Y	N	N	Title
PhoneNumber	NVarChar (100)	100	Y	N	N	Phone Number
AltPhone	NVarChar (100)	100	Y	N	N	Alternate Phone Number
FaxNumber	NVarChar (100)	100	Y	N	N	Fax Number
EmailAddress	NVarChar (255)	255	Y	N	N	Email Address
Address1	NVarChar (255)	255	Y	N	N	Address Line 1
Address2	NVarChar (255)	255	Y	N	N	Address Line 2
City	NVarChar (100)	100	Y	N	N	City
StateID	Int	4	Y	N	N	State. Links to State table
ZipCode	NVarChar (50)	50	Y	N	N	Zip code
CompanyName	NVarChar (255)	255	Y	N	N	Name of Company
DeptOrgName	NVarChar (255)	255	Y	N	N	Department or Organization Name
Division	NVarChar (255)	255	Y	N	N	Division
BusinessTypeID	Int	4	Y	N	N	Type of Business. Links to BusinessType table
CCRCageCode	NVarChar (5)	5	Y	N	N	CCR Cage Code
IdeaReviewerTypeID	Int	4	Y	N	N	Links to IdeaReviewerType table if applicable
NewRequest	Int	4	Y	N	N	Flag to indicate if User has requested a new account
FirstTimeFederalContractor	Int	4	Y	N	N	Flag to indicate if person is a first time federal contractor. 1 = Yes
FirstTimeVAContractor	Int	4	Y	N	N	Flag to indicate if person is a first time VA contractor. 1 = Yes

[dbo].[PersonAcquisitionListData]: Table that contains information regarding data for the person acquisition list

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonAcquisitionListDataID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
ColumnOrder	NVarChar (1000)	1000	Y	N	N	Column Order

[dbo].[PersonAdhocReportAccess]: Table that contains information regarding Ad Hoc Report access by UserID

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonAdhocReportAccessID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
ACT	Int	4	Y	N	N	Flag to indicate if an ACT record. 1 = Yes
MI	Int	4	Y	N	N	Flag to indicate if an MI record. 1 = Yes
CP	Int	4	Y	N	N	Flag to indicate if an CP record. 1 = Yes

[dbo].[PersonBusinessType]: Table that links users information in the Person table with the BusinessType table

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonBusinessTypeID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_users table

BusinessTypeID	Int	4	Y	N	N	Link to BusinessType table
----------------	-----	---	---	---	---	----------------------------

[dbo].[PersonChallenge]: Links Users via the UserID to a Challenge

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonChallengeID	Int	4	N	Y	N	Primary key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	Unique Identifier of User. Links to aspnet_Users table
ChallengeID	Int	4	Y	N	N	Links to IdeaChallenge table

[dbo].[PersonContractingOffice]: Table that associates Users with Contracting Offices

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonContractingOfficeID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	N	N	N	Links to aspnet_Users table
MICContractingOfficeID	Int	4	N	N	N	Links to MICContractingOffice table

[dbo].[PersonInitiative]: Table that links users to Initiatives

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonInitiativeID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
AcqRequestVAInitiativesID	Int	4	Y	N	N	Links to AcqRequestVAInitiatives table

[dbo].[PersonInnovationDashboardData]: Table that contains information regarding data by user for the Person Innovation Dashboard

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonInnovationDashboardDataID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
GridSettingsInnovations	NVarCharMax	-1	Y	N	N	Concatenated string that stores grid settings
FilterArrayInnovations	NVarCharMax	-1	Y	N	N	Concatenated string that stores filter settings

[dbo].[PersonInternalInnovationPanel]: Links users to internal innovations panels

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonInternalInnovationPanelID	Int	4	N	Y	N	Primary Key. AutoID
InternalInnovationPanelID	Int	4	N	N	N	Links to InternalInnovationsPanel table
UserId	UniqueIdentifier	16	N	N	N	User ID. Links to aspnet_Users table

[dbo].[PersonProposalsType]: Table that associates Proposals with Users

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonProposalsTypeID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
ProposalsTypeID	Int	4	Y	N	N	Links to ProposalsType table

[dbo].[PersonRequiringActivity]: Table that links users to requiring activities

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonRequiringActivityID	Int	4	N	Y	N	Primary Key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	UseraID. Links to aspnet_Users table
AcqRequestRequiringActivityID	Int	4	Y	N	N	Links to AcqRequestRequiringActivity table

[dbo].[PersonTopic]: Links Users via the UserID to a Topic

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
PersonTopicID	Int	4	N	Y	N	Primary key. AutoID
UserID	UniqueIdentifier	16	Y	N	N	Unique Identifier of User
InnovationTopicID	Int	4	Y	N	N	Links to IdeaTopic table

[dbo].[Proposal]: Contains uploaded proposals and ancillary information about the proposal

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ProposalID	Int	4	N	Y	N	Primary key. AutoID
ProposalTitle	NVarChar (50)	50	Y	N	N	Title of Proposal
ProposalDescription	NVarChar (500)	500	Y	N	N	Description of Proposal
ProposalTypeID	Int	4	Y	N	N	Links to ProposalType table
UploadDate	DateTime	8	Y	N	N	Date of Upload
UploadUserID	UniqueIdentifier	16	Y	N	N	User ID of person who uploaded. Links to aspnet_Users table
ProposalDeleted	Int	4	Y	N	N	Flag to indicate Proposal has been deleted. Yes=1

[dbo].[Proposals]: Contains uploaded proposals and ancillary information about the proposal

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ProposalsID	Int	4	N	Y	N	Primary key. AutoID
ProposalTitle	NVarChar (50)	50	Y	N	N	Title of Proposal
ProposalDescription	NVarChar (500)	500	Y	N	N	Description of Proposal
ProposalsTypeID	Int	4	Y	N	N	Links to ProposalType table
UploadDate	DateTime	8	Y	N	N	Date of Upload
UploadUserID	UniqueIdentifier	16	Y	N	N	User ID of person who uploaded. Links to aspnet_Users table
ProposalDeleted	Int	4	Y	N	N	Flag to indicate Proposal has been deleted. Yes=1

[dbo].[ProposalsType]: Lookup table for types of proposals

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ProposalsTypeID	Int	4	N	Y	N	Primary key. AutoID
ProposalType	NVarChar (50)	50	Y	N	N	Name of Proposal Type
StartDateTime	DateTime	8	Y	N	N	Date and Time of Proposal Start
EndDateTime	DateTime	8	Y	N	N	Date and Time of Proposal End

[dbo].[ProposalsUpload]: Contains binary images of uploaded documentation and other data about the document

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ProposalsUploadID	Int	4	N	Y	N	Primary key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of Uploaded File
Image	VarBinaryMax	-1	Y	N	N	Binary Image of file
Extension	NVarChar (10)	10	Y	N	N	Extension of uploaded file
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of uploaded file

FileSize	Int	4	Y	N	N	Filesize of uploaded file
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
UploadDate	DateTime	8	Y	N	N	Date and aTime File was uploaded
ProposalsID	Int	4	Y	N	N	Links to the Proposal Table

[dbo].[ProposalType]: Lookup table for types of proposals

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ProposalTypeID	Int	4	N	Y	N	Primary key. AutoID
ProposalType	NVarChar (50)	50	Y	N	N	Name of Proposal Type

[dbo].[ProposalUpload]: Contains binary images of uploaded documentation and other data about the document

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
ProposalUploadID	Int	4	N	Y	N	Primary key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of Uploaded File
Image	VarBinaryMax	-1	Y	N	N	Binary Image of file
Extension	NVarChar (10)	10	Y	N	N	Extension of uploaded file
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of uploaded file
FileSize	Int	4	Y	N	N	Filesize of uploaded file
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
UploadDate	DateTime	8	Y	N	N	Date and Time File was uploaded
ProposalID	Int	4	Y	N	N	Links to the Proposal Table

[dbo].[Quarter]: Table that contains dates for fiscal quarters

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
QuarterID	Int	4	N	Y	N	Primary Key. AutoID
QuarterName	NVarChar (50)	50	Y	N	N	Quarter Name
QuarterAbbr	NVarChar (50)	50	Y	N	N	Quarter Abbreviation
QuarterStart	NVarChar (50)	50	Y	N	N	Quarter Start
QuarterEnd	NVarChar (50)	50	Y	N	N	Quarter End

[dbo].[RadEdit]: Stores formatted text input using the Telerik RadEditor Control

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
RadEditId	Int	4	N	Y	N	Primary key. AutoID
NodeId	Int	4	Y	N	N	Links to Node table
MainTreeNodeId	Int	4	Y	N	N	Links to Maintree table
TitleText	NVarChar (500)	500	Y	N	N	Text of Title
ContentText	NVarCharMax	-1	Y	N	N	Text of Inputted Content
Version	Int	4	Y	N	N	Version of text entered into radeditor
Publish	Int	4	Y	N	N	Flag to indicate if text is published to the public side

[dbo].[RadEditUpload]: Contains binary images of uploaded documents in support of text entered into a radeditor along with ancillary information

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
RadEditUploadID	Int	4	N	Y	N	Primary Key. AutoID
RadEditID	Int	4	Y	N	N	Links to the RadEdit table
Filename	NVarChar (100)	100	Y	N	N	Name of Upload File
Title	NVarChar (200)	200	Y	N	N	Title of file entered by user
Description	NVarChar (500)	500	Y	N	N	Description of Upload File

Image	VarBinaryMax	-1	Y	N	N	Binary image of Upload
Extension	NVarChar (10)	10	Y	N	N	Extension of File
MimeType	NVarChar (150)	150	Y	N	N	Mime Type of File
FileSize	Int	4	Y	N	N	Size of File
RadEditUploadDate	DateTime	8	Y	N	N	Date of Upload
RadEditUploadUserID	UniqueIdentifier	16	Y	N	N	User who uploaded file. Links to aspnet_Users table

[dbo].[RecordType]: Table that contains types of Records

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
RecordTypeId	Int	4	N	Y	N	Primary key. AutoID
RecordType	NVarChar (500)	500	Y	N	N	Type of Record

[dbo].[RoleCategory]: Lookup table that contains information about categories of roles

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
RoleCategoryID	Int	4	N	Y	N	Primary Key. AutoID
RoleCategoryName	NVarChar (50)	50	Y	N	N	Role category name

[dbo].[RoleData]: Table that contains Roles and information about those Roles

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
RoleDataID	Int	4	N	Y	N	Primary Key. AutoID
RoleID	UniqueIdentifier	16	Y	N	N	UniqueIdentifier of Role. Links to the aspnet_Roles table
RoleTypeID	Int	4	Y	N	N	Links to the RoleType table
RoleCategoryID	Int	4	Y	N	N	Links to RoleCategory table

[dbo].[RoleType]: Contains Type of Roles

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
RoleTypeID	Int	4	N	Y	N	Primary Key. AutoID
RoleTypeName	NVarChar (256)	256	Y	N	N	Name of Type of Role

[dbo].[SentEmailLog]: Log of emails sent by the application

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
SentEmailLogId	Int	4	N	Y	N	Primary key. AutoID
UserId	UniqueIdentifier	16	Y	N	N	UserID of user who sent email. Links to aspnet_Users table
SentDateTime	DateTime	8	Y	N	N	Date and Time Email Sent
EmailFrom	NVarChar (255)	255	Y	N	N	From portion of Email
EmailTo	NVarChar (255)	255	Y	N	N	To portion of Email
EmailCC	NVarChar (255)	255	Y	N	N	CC portion of Email
EmailBCC	NVarChar (255)	255	Y	N	N	BCC portion of Email
EmailSubject	NVarChar (500)	500	Y	N	N	Subject of Email
EmailBody	NVarChar (2000)	2000	Y	N	N	Body of Email
RecordID	Int	4	Y	N	N	IdeaApplicationID if RecordType = 2
RecordTypeID	Int	4	Y	N	N	Type of Record. Links to RecordType table

[dbo].[SORType]: Lookup Table for System of Record

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
SORTypeID	Int	4	N	Y	N	Primary Key. AutoID
SORName	NVarChar (20)	20	Y	N	N	Name of System of Record
SORABBR	NVarChar (10)	10	Y	N	N	Abbreviation of System of Record

[dbo].[State]: Table of all states and territories

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
StateID	Int	4	N	Y	N	Primary key
StateName	NVarChar (50)	50	Y	N	N	Name of State
StateAbbr	NVarChar (50)	50	Y	N	N	Abbreviation of State
DisplayOrder	Int	4	Y	N	N	Order in which States are to be displayed

[dbo].[TimeList]: Lookup table used to populate drop down list for times regarding scheduling

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
TimeID	Int	4	N	Y	N	Primary Key. AutoID
Time	NVarChar (10)	10	Y	N	N	Time

[dbo].[TreePermission]: Permissions for the left side tree

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
TreePermissionId	Int	4	N	Y	N	Primary key. AutoID
UserId	UniqueIdentifier	16	Y	N	N	Links to aspnet_Users table
RoleId	UniqueIdentifier	16	Y	N	N	Links to aspnet_Roles
NodeId	Int	4	N	N	N	Links ControlTree table
HasView	Int	4	N	N	N	Indicates if the user has view privileges
HasModify	Int	4	N	N	N	Indicates if the user has modify privileges
HasSetPermission	Int	4	N	N	N	Indicates if the user has set permission privileges
HasModuleEdit	Int	4	N	N	N	Indicates if the user has module edit privileges
HasModuleAdmin	Int	4	N	N	N	Indicates if the user has module administration privileges

[dbo].[VAI2AdhocReport]: Table that contains information about saved Ad Hoc reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
VAI2AdhocReportID	Int	4	N	Y	N	Primary Key. AutoID
Title	NVarChar (250)	250	Y	N	N	Title of Report
Description	NVarChar (1000)	1000	Y	N	N	Description
Deleted	Int	4	Y	N	N	Flag to indicate record deleted. 0=No. 1=Yes.
UserID	UniqueIdentifier	16	Y	N	N	UserID. Links to aspnet_Users table
CreateDate	DateTime	8	Y	N	N	Date Created
UpdatedDate	DateTime	8	Y	N	N	Date Updated
ColumnOrder	NVarChar (1000)	1000	Y	N	N	Specifies Column Order

[dbo].[VAI2AdhocReportColumnList]: Table that contains information regarding columns included in ad hoc reports for VAI2

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
VAI2AdhocReportColumnListID	Int	4	N	Y	N	Primary Key. AutoID
VAI2AdhocReportColumnTypeID	Int	4	Y	N	N	Links to VAI2AdhocReportColumnType table
ColumnName	NVarChar (100)	100	Y	N	N	Column Name

DisplayName	NVarChar (100)	100	Y	N	N	Display Name
Data Type	Int	4	Y	N	N	Data Type
ReportWizardOrderBy	Int	4	Y	N	N	Specifies display order for the report wizard

[dbo].[VAI2AdhocReportColumns]: Table that contains information regarding columns used in VAI2 ad hoc reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
VAI2AdhocReportColumnsID	Int	4	N	Y	N	Primary Key. AutoID
VAI2AdhocReportID	Int	4	Y	N	N	Links to VAI2AdhocReport table
VAI2AdhocReportColumnListID	Int	4	Y	N	N	Links to VAI2AdhocReportColumnList table
VAI2AdhocReportFilterID	Int	4	Y	N	N	Links to VAI2AdhocReportFilter table
FilterValue	NVarChar (100)	100	Y	N	N	Filter Value
FilterValue2	NVarChar (100)	100	Y	N	N	Filter Value 2

[dbo].[VAI2AdhocReportColumnType]: Table that contains information regarding about the VAI2 Ad Hoc Reporting Module

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
VAI2AdhocReportColumnTypeID	Int	4	N	Y	N	Primary Key. AutoID
ColumnName	NVarChar (100)	100	Y	N	N	Module Name

[dbo].[VAI2AdhocReportFilter]: Table that contains information regarding filter for VAI2 Ad Hoc Reports

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
VAI2AdhocReportFilterID	Int	4	N	Y	N	Primary Key. AutoID
FilterName	NVarChar (50)	50	Y	N	N	Filter Name
FilterType	NChar (10)	10	Y	N	N	Filter Type

[dbo].[VRMProposal]: Contains uploaded VRMProposals and ancillary information about the VRMProposal

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
VRMProposalID	Int	4	N	Y	N	Primary key. AutoID
VRMProposalTitle	NVarChar (50)	50	Y	N	N	Title of VRMProposal
VRMProposalDescription	NVarChar (500)	500	Y	N	N	Description of VRMProposal
VRMProposalTypeID	Int	4	Y	N	N	Links to VRMProposalType table
UploadDate	DateTime	8	Y	N	N	Date of Upload
UploadUserID	UniqueIdentifier	16	Y	N	N	User ID of person who uploaded. Links to aspnet_Users table
VRMProposalDeleted	Int	4	Y	N	N	Flag to indicate VRMProposal has been deleted. Yes=1

[dbo].[VRMProposalType]: Lookup table for types of VRMProposals

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
--------	----------	------	----------	--------------	--------------	-------------

VRMProposalTypeID	Int	4	N	Y	N	Primary key. AutoID
VRMProposalType	NVarChar (50)	50	Y	N	N	Name of VRMProposal Type

[dbo].[VRMProposalUpload]: Contains binary images of uploaded documentation and other data about the document

Column	Datatype	Size	Nullable	InPrimaryKey	IsForeignKey	Description
VRMProposalUploadID	Int	4	N	Y	N	Primary key. AutoID
Filename	NVarChar (100)	100	Y	N	N	Name of Uploaded File
Image	VarBinaryMax	-1	Y	N	N	Binary Image of file
Extension	NVarChar (10)	10	Y	N	N	Extension of uploaded file
MimeType	NVarChar (20)	20	Y	N	N	Mime Type of uploaded file
FileSize	Int	4	Y	N	N	Filesize of uploaded file
UploadUserID	UniqueIdentifier	16	Y	N	N	UserID of user who uploaded document. Links to aspnet_Users table
UploadDate	DateTime	8	Y	N	N	Date and aTime File was uploaded
VRMProposalID	Int	4	Y	N	N	Links to the VRMProposal Table